

A blue-tinted photograph of several children running happily in a park. The children are in motion, with some in the foreground and others in the background. The overall mood is joyful and active.

# 2022 CHILD & ADOLESCENT HEALTH NEEDS ASSESSMENT

Brevard, Orange, Osceola, Polk  
& Seminole Counties, Florida

Sponsored by  
NEMOURS CHILDREN'S HOSPITAL, FLORIDA



# TABLE OF CONTENTS

<b>INTRODUCTION</b>	<b>5</b>
<b>PROJECT OVERVIEW</b>	<b>6</b>
Project Goals	6
Methodology	6
<b>IRS FORM 990, SCHEDULE H COMPLIANCE</b>	<b>13</b>
<b>SUMMARY OF FINDINGS</b>	<b>14</b>
Significant Health Needs of the Community	14
Summary Tables: Comparisons With Benchmark Data	17
Summary of Key Informant Perceptions	34
<b>COMMUNITY DESCRIPTION</b>	<b>35</b>
<b>POPULATION CHARACTERISTICS</b>	<b>36</b>
Race/Ethnicity	36
Ethnicity	36
Age	37
Linguistic Isolation	38
<b>SOCIAL DETERMINANTS OF HEALTH</b>	<b>40</b>
Poverty	40
Food Insecurity	41
<b>PERCEPTIONS OF TOP HEALTH ISSUES</b>	<b>43</b>
<b>CHILD HEALTH</b>	<b>44</b>
Perceived Top Health Issues	44
Perceived Availability of Resources	44
<b>ADOLESCENT HEALTH</b>	<b>46</b>
Perceived Top Health Issues	46
Perceived Availability of Resources	46
<b>HEALTH STATUS</b>	<b>48</b>
<b>OVERALL HEALTH STATUS</b>	<b>49</b>
Evaluations of Child's Overall Health	49
Activity Limitations	50
School Days Missed Due to Illness or Injury	52
<b>MENTAL HEALTH</b>	<b>54</b>
Child's Mental Health Status	54
Depression	56
Anxiety	59
Cognitive & Behavioral Disorders	62
Mental Health Services & Treatment	69
Key Informant Input: Mental & Emotional Health	73
<b>CHRONIC DISEASE &amp; SPECIAL HEALTH NEEDS</b>	<b>76</b>
<b>PREVALENCE OF SELECTED MEDICAL CONDITIONS</b>	<b>77</b>
Speech & Language Problems	77
Allergies	82
Neurological Conditions	86
Bone, Joint & Muscle Problems	90



Asthma	92
Diabetes	97
Conditions Requiring Prescriptions or Special Therapy	99
<b>SPECIAL HEALTH NEEDS</b>	<b>101</b>
<b>PRENATAL &amp; POSTNATAL CARE</b>	<b>102</b>
<b>PRENATAL CARE</b>	<b>103</b>
<b>BIRTHS TO ADOLESCENT MOTHERS</b>	<b>105</b>
<b>LOW-WEIGHT BIRTHS</b>	<b>107</b>
<b>INFANT HEALTH</b>	<b>108</b>
Breastfeeding & Breast Milk	108
Key Informant Input: Infant Health	111
<b>MORTALITY</b>	<b>112</b>
<b>INFANT MORTALITY</b>	<b>113</b>
<b>CHILD &amp; ADOLESCENT DEATHS</b>	<b>114</b>
Death Rates by Age Groups	114
Leading Causes of Child Death	115
<b>MODIFIABLE HEALTH RISKS</b>	<b>116</b>
<b>NUTRITION</b>	<b>117</b>
Fruits & Vegetables	117
Low Food Access	119
Fast Food	120
Family Meals	123
<b>PHYSICAL ACTIVITY</b>	<b>125</b>
Recommended Physical Activity	125
Screen Time	127
<b>WEIGHT STATUS</b>	<b>132</b>
Child Overweight & Obesity	132
Perceptions of Overweight	135
Key Informant Input: Nutrition, Physical Activity & Weight	136
<b>TOBACCO, ALCOHOL &amp; OTHER DRUGS</b>	<b>139</b>
Exposure to Environmental Tobacco Smoke	139
Current Tobacco Use (Adolescents)	141
Alcohol Use (Adolescents)	142
Drug Use (Adolescents)	143
Key Informant Input: Tobacco, Alcohol & Other Drugs	145
<b>INJURY &amp; SAFETY</b>	<b>147</b>
Prevalence of Serious Injuries	147
Violence & Safety	149
Key Informant Input: Injury & Violence	155
<b>SEXUAL HEALTH</b>	<b>156</b>
Chlamydia & Gonorrhea	156
Sexual Activity Among Adolescents	157
Key Informant Input: Sexual Health	159



<b>ACCESS TO HEALTH CARE</b>	<b>160</b>
<b>HEALTH INSURANCE COVERAGE</b>	<b>161</b>
Type of Health Care Coverage	161
Lack of Health Insurance Coverage	161
<b>DIFFICULTIES ACCESSING HEALTH CARE</b>	<b>164</b>
Difficulties Accessing Services	164
Barriers to Health Care Access	165
Access to Specialty Care	166
Outmigration for Children’s Healthcare	167
Key Informant Input: Access to Healthcare	169
<b>PRIMARY CARE SERVICES</b>	<b>171</b>
Routine Medical Care	171
Dental Care	180
Vision & Hearing	183
<b>EMERGENT &amp; URGENT CARE</b>	<b>186</b>
Emergency Room Utilization	186
Urgent Care Centers/Walk-In Clinics	187
<b>HEALTH EDUCATION &amp; OUTREACH</b>	<b>189</b>
<b>INTERNET ACCESS</b>	<b>190</b>
<b>RESOURCES</b>	<b>191</b>
<b>RESOURCES AVAILABLE TO ADDRESS THE SIGNIFICANT HEALTH NEEDS</b>	<b>192</b>
<b>APPENDIX</b>	<b>195</b>
<b>EVALUATION OF PAST ACTIVITIES</b>	<b>196</b>





# INTRODUCTION

# PROJECT OVERVIEW

## Project Goals

This 2022 PRC Child & Adolescent Health Needs Assessment — a follow-up to similar studies conducted in 2013, 2016, and 2019 — is a systematic, data-driven approach to determining the health status, behaviors, and needs of children and adolescents in the service area of Nemours Children’s Hospital, Florida. This assessment was conducted by Professional Research Consultants, Inc. (PRC) on behalf of Nemours Children’s Hospital, Florida. PRC is a nationally-recognized healthcare consulting firm with extensive experience conducting community health needs assessments such as this in hundreds of communities across the United States since 1994.

## Methodology

This assessment incorporates data from multiple sources, including primary research (through the PRC Child & Adolescent Health Survey and PRC Online Key Informant Survey), as well as secondary research (vital statistics and other existing health-related data). It also allows for trending and comparison to benchmark data at the state and national levels.


## PRC Child & Adolescent Health Survey

### Survey Instrument

The final survey instrument used for this study was developed by Nemours Children’s Hospital, Florida and PRC and is similar to the previous surveys used in the region, allowing for data trending.

### Community Defined for This Assessment

The study area for the survey effort (referred to as the “Total Service Area” in this report) is defined as the combined area of Brevard, Orange, Osceola, Polk, and Seminole counties in Florida. This community definition, determined based on the counties of residence of recent patients of Nemours Children’s Hospital, Florida, is illustrated in the following map.



## Sample Approach & Design

A precise and carefully executed methodology is critical in asserting the validity of the results gathered in the PRC Child & Adolescent Health Survey. Thus, to ensure the best representation of the population surveyed, a mixed-mode methodology was implemented. This included targeted surveys conducted by PRC via telephone (landline and cell phone) or through online questionnaires, as well as a community outreach component promoted by Nemours Children's Hospital, Florida through social media posting and other communications.


**RANDOM-SAMPLE SURVEYS (PRC)** ► For the targeted administration, PRC administered 1,003 surveys at random among the various geographic strata.

**COMMUNITY OUTREACH SURVEYS (Nemours Children's Hospital, Florida)** ► PRC also created a link to an online version of the survey, and Nemours Children's Hospital, Florida promoted this link throughout the various communities in order to drive additional participation and bolster overall samples. This yielded an additional 273 surveys to the overall sample.

**In all, 1,276 surveys were completed through these mechanisms**, including 241 in Brevard County, 407 in Orange County, 194 in Osceola County, 250 in Polk County, and 184 in Seminole County. Once the interviews were completed, these were weighted in proportion to the actual population distribution so as to appropriately represent San Mateo County as a whole. All administration of the surveys, data collection, and data analysis was conducted by PRC.

For statistical purposes, the maximum rate of error associated with a sample size of 1,276 respondents is  $\pm 2.7\%$  at the 95 percent confidence level.

### Expected Error Ranges for a Sample of 1,276 Respondents at the 95 Percent Level of Confidence



- Note:
- The "response rate" (the percentage of a population giving a particular response) determines the error rate associated with that response. A "95 percent level of confidence" indicates that responses would fall within the expected error range on 95 out of 100 trials.
- Examples:
- If 10% of the sample of 1,276 respondents answered a certain question with a "yes," it can be asserted that between 8.4% and 11.6% ( $10\% \pm 1.6\%$ ) of the total population would offer this response.
  - If 50% of respondents said "yes," one could be certain with a 95 percent level of confidence that between 47.3% and 52.7% ( $50\% \pm 2.7\%$ ) of the total population would respond "yes" if asked this question.



## Respondent Selection


Survey respondents were adults age 18 and older who are a healthcare decision-maker for children residing in the household. For households with more than one child under the age of 18, most questions were asked about the child with the most recent birthday. This random selection process allows for the best representation of children by age and gender.

## Sample Characteristics

To accurately represent the population studied (Total Service Area children and adolescents), PRC strives to minimize bias through application of a proven methodology. While this produces a highly representative sample of children and adolescents in the total service area, it is a common and preferred practice to “weight” the raw data to improve this representativeness even further. This is accomplished by adjusting the results of a random sample to match the geographic distribution and demographic characteristics of the population surveyed (poststratification), so as to eliminate any naturally occurring bias. Specifically, once the raw data are gathered, the sample is examined by key demographic characteristics (namely the child’s gender, age, race/ethnicity, and household poverty status), and a statistical application package applies weighting variables that produce a sample which more closely matches the population for these characteristics. Thus, while the integrity of each individual’s responses is maintained, one respondent’s responses may contribute to the whole the same weight as, for example, 1.1 respondents. Another respondent, whose child’s demographic characteristics may have been slightly oversampled, may contribute the same weight as 0.9 respondents.

The following chart outlines the characteristics of the Total Service Area sample for key child/adolescent demographics, compared to actual population characteristics revealed in census data.

### Population & Survey Sample Characteristics (Total Service Area, 2022)



- Sources:
- Census 2010, Summary File 3 (SF 3). U.S. Census Bureau.
  - 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc.
  - \*May include Hispanics and therefore is not a mutually exclusive group.

The sample design and the quality control procedures used in the data collection ensure that the sample is representative. Thus, the findings may be generalized to the total child and adolescent population in the defined area with a high degree of confidence.



## INCOME & RACE/ETHNICITY

**INCOME** ► Poverty descriptions and segmentation used in this report are based on administrative poverty thresholds determined by the US Department of Health & Human Services. These guidelines define poverty status by household income level and number of persons in the household (e.g., the 2021 guidelines place the poverty threshold for a family of four at \$26,500 annual household income or lower). In sample segmentation: “very low income” refers to respondents living in a household with defined poverty status; “low income” refers to households with incomes just above the poverty level and earning up to twice (100%-199% of) the poverty threshold; and “mid/high income” refers to those households living on incomes which are twice or more ( $\geq 200\%$  of) the federal poverty level.

**RACE & ETHNICITY** ► In analyzing survey results, mutually exclusive race and ethnicity categories are used and represent the race/ethnicity of the randomly selected child. Hispanic children are grouped, regardless of identity with any other race group. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).

## Online Key Informant Survey

To solicit input from key informants, those individuals who have a broad interest in the health of the community, an Online Key Informant Survey also was implemented as part of this process. A list of recommended participants was provided by Nemours Children’s Hospital, Florida; this list included names and contact information for physicians, public health representatives, other health professionals, social service providers, and a variety of other community leaders. Potential participants were chosen because of their ability to identify primary concerns among the families and children/adolescents with whom they work, as well as of the community overall.

Key informants were contacted by email, introducing the purpose of the survey and providing a link to take the survey online; reminder emails were sent as needed to increase participation. In all, 31 community stakeholders took part in the Online Key Informant Survey, as outlined below:

ONLINE KEY INFORMANT SURVEY PARTICIPATION	
KEY INFORMANT TYPE	NUMBER PARTICIPATING
Public Health Representatives	1
Other Health Providers	5
Social Services Providers	19
Education Representatives	3
Other Community Leaders	3

Final participation included representatives of the organizations outlined below.

- Catholic Charities of Florida
- Center for Multicultural Wellness and Prevention
- Central Florida Auto Dealers Association
- Children’s Home Society, Early Head Start
- City of Kissimmee
- City of Lakeland
- Community Foundation
- Early Learning Coalition of Polk County
- Edyth Bush Charitable Foundation



- Florida Department of Health
- Florida Department of Health in Orange County
- Florida Department of Health in Osceola County
- Florida Department of Health in Polk County
- Florida Department of Health in Seminole County
- Florida Department of Health Brevard County
- Florida State University - Orlando
- GiveWell Community Foundation
- Hebni Nutrition Consultants, Inc.
- Hope CommUnity Center
- Idea Factory
- Lake Nona Performance Club
- Lakeland Regional Health
- Lakeland Regional Health Medical Center
- Mental Health Association of Central Florida
- Nemours Primary Care
- Nita M. Lowey 21<sup>st</sup> Century Community Learning Centers
- Orange County
- Orange County Drug Free Living
- Orange County Head Start
- Orange County Medical Clinic
- Orange County Public Schools
- Orange County School District
- Orlando Health
- Osceola Regional Medical Center
- Orlando Utilities Commission (OUC)
- PCAN
- Rollins
- Seminole County Public Schools
- Second Harvest Food Bank of Central Florida
- Seminole County School Board
- Tavistock
- UCP of Central Florida
- Ventanilla de Salud
- Watson Clinic

Through this process, input was gathered from several individuals whose organizations work with low-income, minority, or other medically underserved populations.

In the online survey, key informants were asked to rate the degree to which various health children's health issues are a problem in their own community. Follow-up questions asked them to describe why they identify problem areas as such and how these might better be addressed. Results of their ratings, as well as their verbatim comments, are included throughout this report as they relate to the various other data presented.

NOTE: These findings represent qualitative rather than quantitative data. The Online Key Informant Survey was designed to gather input regarding participants' opinions and perceptions of the health needs of the residents in the area.



## Public Health, Vital Statistics & Other Data

A variety of existing (secondary) data sources was consulted to complement the research quality of this Child & Adolescent Health Needs Assessment. Data for the Total Service Area were obtained from the following sources (specific citations are included with the graphs throughout this report):

- [Center for Applied Research and Engagement Systems \(CARES\) , University of Missouri Extension, SparkMap \(sparkmap.org\)](#)
- [Centers for Disease Control & Prevention, Office of Infectious Disease, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention, Division for Adolescent and School Health](#)
- [Centers for Disease Control & Prevention, Office of Public Health Science Services, Center for Surveillance, Epidemiology and Laboratory Services, Division of Health Informatics and Surveillance \(DHIS\)](#)
- [Centers for Disease Control & Prevention, Office of Public Health Science Services, National Center for Health Statistics](#)
- [ESRI ArcGIS Map Gallery](#)
- [Florida Department of Health](#)
- [Geolytics Demographic Estimates & Projections](#)
- [OpenStreetMap \(OSM\)](#)
- [US Census Bureau, Decennial Census](#)
- [US Department of Health & Human Services](#)

Note that secondary data reflect aggregate county-level data.

## Benchmark Data

### Trending

Similar surveys were administered in the Total Service Area in 2013, 2016, and 2019 by PRC on behalf of Nemours Children’s Hospital, Florida. Trending data, as revealed by comparison to prior survey results, are provided throughout this report whenever available. Historical data for secondary data indicators are also included for the purposes of trending.

### Nationwide Risk Factor Data

National survey data, which are provided in comparison charts, are taken from the *2020 PRC National Child & Adolescent Health Survey*; the methodological approach for the national study is similar to that employed in this assessment, and these data may be generalized to the population of American children and youth with a high degree of confidence. National-level vital statistics are also provided for comparison of secondary data indicators. (NOTE: The national findings represent data collected prior to the COVID-19 pandemic.)

### Healthy People 2030

Healthy People provides 10-year, measurable public health objectives — and tools to help track progress toward achieving them. Healthy People identifies public health priorities to help individuals, organizations, and communities across the United States improve health and well-being. Healthy People 2030, the initiative’s fifth iteration, builds on knowledge gained over the first four decades.



Healthy People 2030's overarching goals are to:

- Attain healthy, thriving lives and well-being free of preventable disease, disability, injury, and premature death.
- Eliminate health disparities, achieve health equity, and attain health literacy to improve the health and well-being of all.
- Create social, physical, and economic environments that promote attaining the full potential for health and well-being for all.
- Promote healthy development, healthy behaviors, and well-being across all life stages.
- Engage leadership, key constituents, and the public across multiple sectors to take action and design policies that improve the health and well-being of all.

The Healthy People 2030 framework was based on recommendations made by the Secretary's Advisory Committee on National Health Promotion and Disease Prevention Objectives for 2030. After getting feedback from individuals and organizations and input from subject matter experts, the U.S. Department of Health and Human Services (HHS) approved the framework which helped guide the selection of Healthy People 2030 objectives.

## Determining Significance

Differences noted in this report represent those determined to be significant. For survey-derived indicators (which are subject to sampling error), statistical significance is determined based on confidence intervals (at the 95 percent confidence level), using question-specific samples and response rates. For the purpose of this report, "significance" of secondary data indicators (which do not carry sampling error but might be subject to reporting error) is determined by a 15% variation from the comparative measure.

## Information Gaps

While this assessment is quite comprehensive, it cannot measure all possible aspects of health in the community, nor can it adequately represent all possible populations of interest. It must be recognized that these information gaps might in some ways limit the ability to assess all of the community's health needs.

For example, certain population groups — such as the homeless, institutionalized children, or children of parents who only speak a language other than English or Spanish — are not represented in the survey data. Other population groups — for example, undocumented residents, and children of certain racial/ethnic or immigrant groups — might not be identifiable or might not be represented in numbers sufficient for independent analyses.

In terms of content, this assessment was designed to provide a comprehensive and broad picture of the health of children and adolescents in the overall community. However, there are certainly medical conditions that are not specifically addressed.

## Public Comment

Nemours Children's Hospital, Florida made its prior Child & Adolescent Health Needs Assessment (CHNA) report publicly available through its website; through that mechanism, the hospital requested from the public written comments and feedback regarding the CHNA and implementation strategy. At the time of this writing, Nemours Children's Hospital, Florida had not received any written comments. However, through population surveys and key informant feedback for this assessment, input from the broader community was considered and taken into account when identifying and prioritizing the significant health needs of the community. Nemours Children's Hospital, Florida will continue to use its website as a tool to solicit public comments and ensure that these comments are considered in the development of future CHNAs.



# IRS FORM 990, SCHEDULE H COMPLIANCE

For non-profit hospitals, a Child & Adolescent Health Needs Assessment (CHNA) also serves to satisfy certain requirements of tax reporting, pursuant to provisions of the Patient Protection & Affordable Care Act of 2010. To understand which elements of this report relate to those requested as part of hospitals' reporting on IRS Schedule H (Form 990), the following table cross-references related sections.

IRS FORM 990, SCHEDULE H (2019)	See Report Page
Part V Section B Line 3a A definition of the community served by the hospital facility	6
Part V Section B Line 3b Demographics of the community	36
Part V Section B Line 3c Existing health care facilities and resources within the community that are available to respond to the health needs of the community	192
Part V Section B Line 3d How data was obtained	6
Part V Section B Line 3e The significant health needs of the community	14
Part V Section B Line 3f Primary and chronic disease needs and other health issues of uninsured persons, low-income persons, and minority groups	Addressed Throughout
Part V Section B Line 3g The process for identifying and prioritizing community health needs and services to meet the community health needs	16
Part V Section B Line 3h The process for consulting with persons representing the community's interests	9
Part V Section B Line 3i The impact of any actions taken to address the significant health needs identified in the hospital facility's prior CHNA(s)	196



# SUMMARY OF FINDINGS

## Significant Health Needs of the Community

The following “Areas of Opportunity” represent the significant health needs of the community, based on the information gathered through this Child & Adolescent Health Needs Assessment. From these data, opportunities for children’s health improvement exist in the area with regard to the following health issues (see also the summary tables presented in the following section).

The Areas of Opportunity were determined after consideration of various criteria, including: standing in comparison with benchmark data; identified trends; the preponderance of significant findings within topic areas; the magnitude of the issue in terms of the number of children affected; and the potential health impact of a given issue. These also take into account those issues of greatest concern to the community stakeholders (key informants) giving input to this process.

AREAS OF OPPORTUNITY IDENTIFIED THROUGH THIS ASSESSMENT	
ACCESS TO HEALTH CARE SERVICES	<ul style="list-style-type: none"> <li>▪ Difficulty Accessing Children’s Healthcare</li> <li>▪ Access to Specialty Care</li> <li>▪ Outmigration</li> <li>▪ Specific Source of Ongoing Medical Care</li> <li>▪ Utilization of Emergency Room</li> <li>▪ Utilization of Urgent Care Center</li> </ul>
ALLERGIES	<ul style="list-style-type: none"> <li>▪ Respiratory Allergies</li> <li>▪ Eczema/Skin Allergies</li> <li>▪ Food/Digestive Allergies</li> </ul>
ASTHMA	<ul style="list-style-type: none"> <li>▪ Prevalence of Asthma</li> <li>▪ ER/Urgent Care Visits for Asthma</li> <li>▪ Hospitalizations Due to Asthma</li> <li>▪ Loss of Productivity Due to Asthma</li> </ul>
BONE, JOINT & MUSCLE CONDITIONS	<ul style="list-style-type: none"> <li>▪ Bone/Joint/Muscle Conditions</li> </ul>
COGNITIVE & BEHAVIORAL CONDITIONS	<ul style="list-style-type: none"> <li>▪ ADD/ADHD Prevalence</li> <li>▪ Learning Disabilities</li> <li>▪ Developmental Delays</li> <li>▪ Behavioral/Conduct Problems</li> <li>▪ Autism/Spectrum Disorder Prevalence</li> <li>▪ Key Informants: Cognitive and behavioral conditions ranked as a top concern.</li> </ul>
DIABETES	<ul style="list-style-type: none"> <li>▪ Childhood Diabetes Prevalence</li> </ul>
INFANT HEALTH	<ul style="list-style-type: none"> <li>▪ Infant Mortality</li> <li>▪ Acceptance of Recommended Childhood Vaccines</li> </ul>

— continued on the following page —



## AREAS OF OPPORTUNITY (continued)

INJURY & VIOLENCE	<ul style="list-style-type: none"> <li>▪ Prevalence of Injuries Requiring Treatment</li> <li>▪ Mortality                             <ul style="list-style-type: none"> <li>– Age 5-9</li> <li>– Age 15-19</li> </ul> </li> <li>▪ Children Feeling Unsafe at School or Going To/From School</li> <li>▪ Bullying</li> </ul>
MENTAL HEALTH	<ul style="list-style-type: none"> <li>▪ “Fair” or “Poor” Mental Health</li> <li>▪ Depression &amp; Anxiety</li> <li>▪ Suicide Attempts [Orange County High Schoolers]</li> <li>▪ Parental Awareness of Local Resources</li> <li>▪ Children Needing Mental Health Services</li> <li>▪ Children Taking Rx for Mental Health</li> <li>▪ Key Informants: Mental health ranked as a top concern.</li> </ul>
NEUROLOGICAL CONDITIONS	<ul style="list-style-type: none"> <li>▪ Children with Migraines/Severe Headaches</li> <li>▪ Brain Injuries/Concussions</li> <li>▪ Epilepsy/Seizure Disorder Prevalence</li> </ul>
NUTRITION, PHYSICAL ACTIVITY & WEIGHT	<ul style="list-style-type: none"> <li>▪ Difficulty Accessing Fresh Produce</li> <li>▪ Food Insecurity</li> <li>▪ Low Food Access</li> <li>▪ Frequency of Eating Fast Food</li> <li>▪ Access to Fast Food</li> <li>▪ Eating Meals as a Family</li> <li>▪ Screen Time                             <ul style="list-style-type: none"> <li>– Watching TV</li> </ul> </li> <li>▪ Electronic Devices/TV in Child’s Bedroom</li> <li>▪ Overweight &amp; Obesity</li> <li>▪ Parental Recognition of Child’s Overweight Status</li> <li>▪ Key Informants: Nutrition, physical activity, and weight ranked as a top concern.</li> </ul>
ORAL HEALTH	<ul style="list-style-type: none"> <li>▪ Regular Dental Care</li> </ul>
SEXUAL HEALTH	<ul style="list-style-type: none"> <li>▪ Gonorrhea Incidence [Children/Adults]</li> <li>▪ Chlamydia Incidence [Children/Adults]</li> <li>▪ Use of Birth Control [Orange County High Schoolers]</li> </ul>
TOBACCO, ALCOHOL & OTHER DRUGS	<ul style="list-style-type: none"> <li>▪ Lifetime Illicit Drug Use [Orange County High Schoolers]                             <ul style="list-style-type: none"> <li>– Prescription Drugs (not Rx)</li> <li>– Ecstasy</li> <li>– Cocaine</li> <li>– Steroids (not Rx)</li> <li>– Methamphetamines</li> <li>– Heroin</li> <li>– Injection Drugs</li> </ul> </li> </ul>
VISION, HEARING, & SPEECH CONDITIONS	<ul style="list-style-type: none"> <li>▪ Prevalence of Speech/Language Problems</li> <li>▪ Hearing Problems</li> <li>▪ Vision Problems</li> <li>▪ Recent Eye Exams</li> <li>▪ Prevalence of Hearing Tests</li> </ul>



## Community Feedback on Prioritization of Health Needs

Prioritization of the health needs identified in this assessment (“Areas of Opportunity” above) was determined based on a prioritization exercise conducted among community stakeholders (representing a cross-section of community-based agencies and organizations) in conjunction with the administration of the Online Key Informant Survey.

In this process, these key informants were asked to rate the severity of a variety of health issues for children in the community. Insofar as these health issues were identified through the data above and/or were identified as top concerns among key informants, their ranking of these issues informed the following priorities:

1. Mental Health
2. Nutrition, Physical Activity, & Weight
3. Cognitive & Behavioral Conditions
4. Oral Health
5. Access to Health Services
6. Diabetes
7. Prenatal & Infant Health
8. Asthma & Other Respiratory Conditions
9. Tobacco, Alcohol & Other Drugs
10. Injury & Violence
11. Allergies
12. Sexual Health
13. Neurological Conditions
14. Bone, Joint & Muscle Conditions
15. Vision, Hearing & Speech Conditions

## Hospital Implementation Strategy

Nemours Children’s Hospital, Florida will use the information from this Child & Adolescent Health Needs Assessment to develop an Implementation Strategy to address the significant children’s health needs in the community. While the hospital will likely not implement strategies for all of the health issues listed above, the results of this prioritization exercise will be used to inform the development of the hospital’s action plan to guide community health improvement efforts in the coming years.

Note: An evaluation of the hospital’s past activities to address the needs identified in prior CHNAs can be found as an appendix to this report.



# Summary Tables: Comparisons With Benchmark Data

## Reading the Summary Tables

- In the following tables, Total Service Area results are shown in the larger, gray column.
- The columns to the left of the Total Service Area column provide comparisons among the five counties, identifying differences for each as “better than” (☀️), “worse than” (🌧️), or “similar to” (☁️) the combined opposing areas.
- The columns to the right of the Total Service Area column provide trending, as well as comparisons between local data and any available national findings and Healthy People 2030 objectives. Again, symbols indicate whether the Total Service Area compares favorably (☀️), unfavorably (🌧️), or comparably (☁️) to these external data.

Note that blank table cells signify that data are not available or are not reliable for that area and/or for that indicator.

Tip: Indicator labels beginning with a “%” symbol are taken from the PRC Community Health Survey; the remaining indicators are taken from secondary data sources.

### TREND SUMMARY

(Current vs. Baseline Data)

#### SURVEY DATA INDICATORS:




























Trends for survey-derived indicators represent significant changes since 2013 (or the first year the indicator was included). Note that survey data reflect the Total Service Area.

#### OTHER (SECONDARY) DATA INDICATORS:

Trends for other indicators (e.g., public health data) represent point-to-point changes between the most current reporting period and the earliest presented in this report (typically representing the span of roughly a decade).




















Note that secondary data reflect aggregate county-level data.



SOCIAL DETERMINANTS	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
Linguistically Isolated Population (Percent)	 1.4	 7.2	 9.4	 3.6	 2.8	5.1	 6.2	 4.1		
Children Below 100% FPL (Percent)	 15.8	 19.5	 18.0	 23.4	 11.9		18.6	 18.7	 17.5	
[Age 16-19] Not in School and Not Working (Percent)	 6.3	 5.6	 11.1	 9.7	 3.4	6.9		 7.2	 6.8	
% Food Insecure	 46.0	 44.9	 46.7	 51.5	 43.4		46.4		 36.6	

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better       similar       worse

OVERALL HEALTH	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child's Overall Health Is "Fair/Poor"	 7.9	 5.7	 10.1	 7.9	 5.8	6.9		 2.5		 4.0
% [Age 0-17] Child's Activities/Abilities Limited Due to Health Condition	 21.6	 16.7	 16.4	 20.7	 18.5		18.5		 7.9	
% [Age 5-17] Missed 10+ School Days Last Yr Due to Illness/Injury	 14.9	 11.4	 21.5	 16.9	 18.1	15.1			 6.6	

OVERALL HEALTH (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Special Health Needs	78.4	71.4	75.1	78.4	76.5	75.0		64.0		63.1
% [Age 0-17] Chronic Condition Requiring Meds	38.3	40.1	36.9	36.9	37.3	38.4		20.6		32.7
% [Age 0-17] Chronic Condition Requiring Special Therapy	27.7	24.7	25.7	20.3	23.3	24.1		8.9		14.5
% [Age 0-17] Chronic Condition Requiring Meds or Special Therapy	46.2	39.6	36.3	41.7	40.2	40.7		24.2		26.5

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.



better



similar



worse

ACCESS TO HEALTH CARE	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Is Uninsured	6.5	6.1	4.2	5.6	6.1	5.8		4.8		6.2
% [Age 0-17] Child Has Been Without Insurance At Some Point	10.4	13.0	10.8	9.5	10.1	11.3		10.5		11.6
% [Age 0-17] Difficulties Accessing Child's Healthcare (Composite)	54.7	53.2	57.7	57.2	54.1	54.8		29.1		32.3
% [Age 0-17] Difficulty Finding Physician for Child in Past Year	31.9	26.0	26.9	26.6	20.6	26.3		10.7		10.3

ACCESS TO HEALTH CARE (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Difficulty Getting Appointment for Child in Past Year	33.5	33.7	41.0	35.3	31.6	34.5		13.9		14.6
% [Age 0-17] Cost Prevented Child's Dr Visit in Past Year	16.0	15.5	14.1	12.9	17.9	15.2		6.0		9.6
% [Age 0-17] Transportation Hindered Child's Dr Visit in Past Year	14.0	17.3	14.4	16.6	11.9	15.6		6.1		5.9
% [Age 0-17] Inconvenient Hrs Prevented Child's Dr Visit in Past Year	23.0	27.8	31.3	25.7	28.2	27.1		13.5		17.2
% [Age 0-17] Cost Prevented Getting Child's Prescription in Past Year	14.5	14.5	9.8	12.0	13.1	13.3		6.2		7.0
% [Age 0-17] Culture Difference Prevented Child's Dr Visit in Past Year	4.5	11.6	9.1	5.8	9.3	8.7		3.9		2.1
% Child Needed to See a Specialist in the Past Year	48.8	51.4	51.0	54.3	53.2	51.8		33.1		29.6
% [Child Needing Care] "Major/Moderate" Problem Getting Specialty Care	51.2	44.2	49.9	35.4	46.8	44.3		33.2		35.6
% [Parents] Feel Need to Leave the Area for Children's Health Svcs	57.0	30.8	39.3	43.7	27.1	37.7		28.4		13.4
% [Age 0-17] Child Has a Specific Source of Ongoing Care	77.4	75.9	71.6	78.7	80.7	76.9		82.3		87.3

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.












































better



similar



worse

ACCESS TO HEALTH CARE (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Had Routine Checkup in Past Year	 88.1	 90.8	 85.7	 88.2	 90.8	<b>89.3</b>		 87.3		 86.6
% [Age 2-17] Child Has Had a Dental Visit in Past Year	 71.5	 72.2	 69.0	 67.3	 78.0	<b>71.6</b>		 85.0	 45.0	 75.4
% [Age 0-17] Child Has Had 2+ ER Visits in Past Year	 14.5	 15.2	 18.8	 19.5	 14.7	<b>16.4</b>		 8.2		 9.2
% [Age 0-17] Child Used Some Type of UCC in the Past Year	 47.9	 48.3	 50.1	 41.1	 45.5	<b>46.7</b>		 35.7		 38.4
% [Age 0-17] Child Used After-Hours Telephone Svc for Care/Past Yr	 14.8	 18.9	 17.4	 16.8	 15.7	<b>17.2</b>				 8.6
% [Age 0-17] Child Used Telemedicine Services in Past Year	 34.7	 33.0	 35.1	 32.7	 25.7	<b>32.4</b>				 7.1

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better     
  similar     
  worse

ALLERGIES	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS				
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND	
% [Age 0-17] Child Has Respiratory Allergies	23.6	21.3	32.2	24.5	24.3	23.9		16.8		19.1	
% [Age 0-17] Child Has Eczema/Skin Allergies	20.6	27.6	31.0	25.7	28.6		26.7		19.0		18.2
% [Age 0-17] Child Has Food/Digestive Allergies	15.0	18.2	18.0	15.8	12.0		16.3		9.8		10.8

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better

similar

worse

ASTHMA	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS				
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND	
% [Age 0-17] Child Currently Has Asthma	13.8	16.9	17.1	18.0	16.3	16.6		9.4		8.8	
% [Age 0-17 With Asthma] ER/Urgent Care for Child's Asthma in Past Year							49.7		24.1		40.4
% [Age 0-17 With Asthma] Child Hospitalized for Asthma in Past Year							26.2		10.1		8.4
% [Age 5-17 With Asthma] Child Missed School Due to Asthma in Past Year							56.0		26.6		64.9
% [Age 0-17 With Asthma] Parent Missed Work Due to Child's Asthma in Past Year							53.2		36.6		41.9

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better

similar

worse

BONE, JOINT & MUSCLE CONDITIONS	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Bone/Joint/Muscle Problems	13.0	11.4	11.2	14.5	10.5	12.1		7.4		5.8

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better

similar

worse














COGNITIVE & BEHAVIORAL DISORDERS	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has ADD/ADHD	30.5	23.1	18.6	24.1	23.1	23.9		13.5		12.1
% [Age 0-17] Child Has Learning Disability	21.4	15.9	16.1	19.5	18.4	17.8		11.1		9.6
% [Age 0-17] Child Has Developmental Delays	18.8	13.3	16.7	20.9	14.3	16.2		9.8		7.7
% [Age 5-17] Child Has Behavioral/Conduct Problems	14.4	13.3	8.0	14.7	9.1	12.6		4.4		4.2
% [Age 5-17] Child Has Autism/Spectrum Disorder	11.5	12.2	10.0	14.0	15.2	12.6		3.9		3.7

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.




better


































similar

worse




DIABETES	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Diabetes/High Blood Sugar	 0.8	 3.5	 3.0	 3.4	 1.7	2.8		 1.8		 1.3
% [Age 0-17] Child Has Borderline/Pre-Diabetes	 1.0	 1.1	 1.2	 1.4	 0.5		1.1		 1.7	

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better
 similar
 worse

INJURY & SAFETY	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Sustained Injury Requiring Treatment in Past Year	 13.3	 13.1	 15.9	 9.9	 20.6	13.9		 8.8		 11.9
% [Age 0-17] Neighborhood Is "Slightly" or "Not At All" Safe	 16.4	 17.1	 11.9	 15.6	 6.8		14.7		 15.8	
% [Age 5-17] Child Missed School in Past Year Because Felt Unsafe	 13.6	 19.6	 14.8	 16.8	 17.0	17.4		 8.4		 7.5
% [Age 5-17] Bullied on School Property in the Past Year	 26.8	 22.7	 17.9	 23.4	 26.9		23.5		 18.0	
% [Age 5-17] Child Electronically Bullied in Past Year	 15.3	 15.1	 6.0	 10.0	 11.2	12.5		 5.5		 4.8

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better
 similar
 worse

MENTAL & EMOTIONAL HEALTH	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 5-17] Child's Mental Health Is "Fair/Poor"	21.1	16.3	18.4	20.3	15.5	17.9		9.7		7.7
% [Age 5-17] Child Has Depression	19.5	12.2	15.6	15.1	13.4	14.4		9.1		5.4
% [Age 5-17] Child Had Symptoms of Depression in Past Year	15.4	12.7	8.2	12.8	11.9	12.5		5.1		6.5
[Orange County High Schoolers] Attempted Suicide in Past Year (Percent)						10.3	7.9	8.9	2.4	
% [Age 5-17] Child Has Anxiety	34.3	18.5	25.1	31.9	31.6	26.2		13.4		8.2
% [Age 5-17] Child Worries A Lot	41.0	39.1	38.8	41.9	41.9	40.3		29.6		23.0
% [Age 5-17] Child Has Difficulty Sleeping	43.9	27.0	33.2	39.6	32.5	33.5		20.4		16.1
% [Age 5-17] Parent Aware of Community Mental Health Resources	56.3	45.6	48.2	56.6	53.2	50.8		70.2		56.4
% [Age 5-17] Needed Mental Health Svcs in the Past Yr	33.4	22.2	24.0	24.4	23.2	24.6		17.1		13.0
% [Age 5-17] Child Rec'd Professional Treatment/Counseling in Past Yr	27.2	17.1	16.5	21.3	21.3	20.0		14.3		11.5
% [Age 5-17] Child Has Ever Taken Rx for Mental Health	18.7	14.5	16.6	13.0	17.7	15.5		12.5		9.7

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.



better



similar



worse

MORTALITY	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
[Age 1-4] Mortality Rate per 100,000						22.5	25.7	23.3	18.4	
[Age 5-9] Mortality Rate per 100,000						13.3	12.4	11.3	18.4	
[Age 10-14] Mortality Rate per 100,000						14.4	14.3	15.5	18.4	
[Age 15-19] Mortality Rate per 100,000						46.2	52.6	52.2	18.4	

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better      similar      worse


































NEUROLOGICAL DISORDERS	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Migraines/Severe Headaches	11.9	10.0	10.1	12.8	16.4	11.8		7.9		6.4
% [Age 0-17] Child Has Brain Injury/Concussion	2.7	5.7	9.9	5.0	5.2	5.5		4.6		2.8
% [Age 0-17] Child Has Epilepsy/Seizure Disorder	4.1	6.7	9.2	5.2	4.6	6.0		1.3		1.1

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better      similar      worse
















































NUTRITION, PHYSICAL ACTIVITY & WEIGHT	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 2-17] Child Has 5+ Servings of Fruits/Vegetables per Day	47.0	42.7	40.4	37.8	38.9	<b>41.6</b>		36.9		38.8
% "Very/Somewhat" Difficult to Buy Fresh Produce	37.7	32.3	35.4	37.2	35.5	<b>34.9</b>		22.7		29.1
Low Food Access (Percent)	41.8	22.1	35.3	36.4	29.3	<b>30.8</b>	25.1	22.2		
% [Age 2-17] Child Ate 3+ Fast Food Meals in Past Week	26.5	29.7	25.3	33.6	34.2	<b>30.4</b>		19.1		19.7
Fast Food Restaurants per 100,000 Population	69.2	103.6	89.0	59.1	87.5	<b>84.8</b>	74.8	82.2		61.9
% [Age 2-17] Ate 7+ Meals Together as a Family in Past Week	45.2	43.7	50.9	46.0	40.4	<b>44.7</b>		64.6		44.2
% [Age 2-17] Child Was Physically Active One Hour/Day in Past Week	49.0	37.0	48.0	45.3	43.4	<b>42.6</b>		44.9	30.4	45.8
% [Age 5-17] Child Watches 3+ Hours of TV per Day	48.3	39.2	46.6	48.8	42.8	<b>43.8</b>		43.1		26.6
% [Age 5-17] Child Has 3+ Hours of Electronic Use per Day	41.3	34.7	36.8	37.2	36.4	<b>36.6</b>		49.8		37.9
% [Age 5-17] Child Has 3+ Hours of Total Screen Time per Day	68.9	64.3	71.6	70.8	73.0	<b>68.4</b>		70.9		60.9

better     
 similar     
 worse

NUTRITION, PHYSICAL ACTIVITY & WEIGHT (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 5-17] Child Has a TV in Bedroom	 57.3	 43.7	 53.1	 58.2	 46.1	<b>50.0</b>		 37.0		 49.3
% [Age 5-17] Has Computer/Device in the Bedroom	 60.7	 57.6	 55.3	 50.4	 55.8		<b>56.1</b>		 52.4	
% [Age 5-17] Child Has Own Smartphone	 60.9	 52.9	 54.8	 57.2	 56.4	<b>55.7</b>			 56.2	
% [Age 5-17] Child Is Overweight or Obese	 33.8	 37.4	 30.9	 40.7	 28.7		<b>35.6</b>		 36.9	
% [Age 5-17] Child Is Obese	 20.8	 19.4	 19.6	 22.7	 19.2	<b>20.3</b>			 17.8	 15.5
% [Overweight Kids 5-17] Perceive Child "About the Right Weight"							<b>46.8</b>			
% [Parents] Have Been Told That Overwt Child [5-17] Is Overweight						<b>30.5</b>			 20.0	
















Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.
















PRENATAL & INFANT HEALTH	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
No Prenatal Care in First Trimester (Percent)	 31.3	 24.0	 21.4	 31.3	 22.4	<b>26.2</b>	 28.2	 22.3		 26.1
Low Birthweight Births (Percent)	 8.1	 8.7	 8.1	 9.4	 7.4	<b>8.5</b>	 8.7	 8.3		 8.3
% [Age 0-17] Child Was Ever Breastfed	 68.0	 76.1	 72.4	 66.6	 69.2	<b>71.6</b>		 70.5		 71.7
% Exclusively Breastfed Until 6 Months	 27.1	 32.2	 31.7	 24.4	 31.0	<b>29.6</b>		 27.7	 42.4	 29.1
Infant Deaths Rate	 6.1	 5.7	 5.0	 7.5	 6.1	<b>6.1</b>	 5.8	 5.5	 5.0	 7.0
% Would Not Want New Baby to Have All Recommended Vaccines	 16.8	 19.1	 14.6	 17.4	 22.4	<b>18.4</b>		 15.5		 9.8

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better       similar       worse

SEXUAL HEALTH	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
Births to Teenagers (Under Age 20, Percent)	 4.1	 3.8	 4.5	 6.0	 2.9	<b>4.2</b>	 4.4	 4.6		 7.7
[All Ages] Gonorrhea Incidence per 100,000	 81.6	 217.7	 107.6	 126.2	 139.6	<b>154.4</b>	 155.6	 179.1		

SEXUAL HEALTH (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
[All Ages] Chlamydia Incidence per 100,000	 348.5	 732.8	 480.4	 518.0	 428.2	557.3	 499.2	 539.9		
[Orange County High Schoolers] Currently Sexually Active (Percent)						21.4	 25.9	 27.4		
[Sexually Active Orange County High Schoolers] Did Not Use Condom (Percent)						40.3	 41.5	 45.7		
[Sexually Active Orange County High Schoolers] Did Not Use Any Birth Control (Percent)						18.1	 14.7	 11.9		

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.









better












similar










worse

SUBSTANCE ABUSE	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
[Orange County High Schoolers] Drank Alcohol in Past Month (Percent)						23.3	 26.1	 29.2	 6.3	
[Orange County High Schoolers] Ever Used Marijuana (Percent)						32.3		 36.8		
[Orange County High Schoolers] Ever Used Prescription Drugs (Not Rx) (Percent)						16.1		 14.3		
[Orange County High Schoolers] Ever Used Inhalants (Percent)						6.7		 6.4		

SUBSTANCE ABUSE (continued)	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
[Orange County High Schoolers] Ever Used Ecstasy (Percent)						4.7		 3.6		
[Orange County High Schoolers] Ever Used Cocaine (Any Form. Percent)						5.8		 3.9		
[Orange County High Schoolers] Ever Used Steroids (Not Rx, Percent)						4.1		 1.9		
[Orange County High Schoolers] Ever Used Methamphetamines (Percent)						4.0		 2.1		
[Orange County High Schoolers] Ever Used Heroin (Percent)						4.0		 1.8		
[Orange County High Schoolers] Ever Used Injection Drugs (Percent)						3.3		 1.6		
[Orange County High Schoolers] Used Marijuana in Past Month (Percent)						16.5	 19.6	 21.7	 5.8	

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better       similar       worse

TECHNOLOGY	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% Have Access to the Internet	 98.6	 98.5	 98.2	 98.6	 99.5	98.6		 100.0		 98.6

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better       similar       worse

TOBACCO	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Household Member Smokes Tobacco Inside the Home	5.9	8.5	8.0	7.3	5.4	7.4		5.9		
% [Age 0-17] Household Member Smokes E-Cigarettes at Home	17.3	10.4	12.2	10.6	18.3	12.8				
[Orange County High Schoolers] Smoked Cigarettes in Past Month (Percent)						3.1	4.8	6.0	3.4	






































Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better      similar      worse

VACCINATIONS	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 6 Months+] Received Flu Vaccination in Past Year	49.5	46.2	46.1	38.5	42.6	44.6				
% [Age 5-17] Received at Least 1 Dose of COVID-19 Vaccine	43.5	52.0	51.3	37.3	53.6	48.0				
% [Age 11-17] Received at Least 2 Shots of HPV Vaccine	57.0	57.8	47.3	53.6	53.0	54.9				

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

better      similar      worse

VISION, HEARING & SPEECH	DISPARITY AMONG SUBAREAS					Total Service Area	TOTAL SERVICE AREA vs. BENCHMARKS			
	Brevard County	Orange County	Osceola County	Polk County	Seminole County		vs. FL	vs. US	vs. HP2030	TREND
% [Age 0-17] Child Has Had 3+ Ear Infections (Ever)	 23.8	 16.5	 20.5	 17.9	 17.9	18.5		 19.8		 23.5
% [Age 0-17] Child Has Speech/Language Problems	 24.5	 21.0	 17.7	 18.1	 20.8		20.6		 13.0	
% [Age 0-17] Child Has Hearing Problems	 9.0	 8.5	 12.4	 8.1	 7.1	8.7			 7.0	
% [Age 0-17] Child Has Vision Problems	 8.6	 14.9	 11.2	 10.1	 10.8		12.0		 7.3	
% [Age 0-17] Child Has Had an Eye Exam in the Past 3 Years	 81.7	 87.9	 82.1	 80.6	 79.0	83.6			 83.4	
% [Age 0-17] Child Has Had Hearing Tested in the Past 5 Years	 84.8	 85.3	 78.6	 83.8	 84.8		84.1		 86.7	

Note: In the section above, each subarea is compared against all other areas combined. Throughout these tables, a blank or empty cell indicates that data are not available for this indicator or that sample sizes are too small to provide meaningful results.

 better


 similar


 worse

## Summary of Key Informant Perceptions

In the Online Key Informant Survey, community stakeholders were asked to rate the degree to which each of 16 health issues is a problem for children and/or adolescents in their own community, using a scale of “major problem,” “moderate problem,” “minor problem,” or “no problem at all.” The following chart summarizes their responses; these findings also are outlined throughout this report, along with the qualitative input describing reasons for their concerns. (Note that these ratings alone do not establish priorities for this assessment; rather, they are one of several data inputs considered for the prioritization process described earlier.)

### Key Informants: Relative Position of Health Topics as Problems in the Community





# COMMUNITY DESCRIPTION


# POPULATION CHARACTERISTICS

## Race/Ethnicity

In the five-county Total Service Area, 66.4% of the population age 0-17 is White and 19.9% is Black.

**DISPARITY** ► The youth population is most diverse in Orange County than in other service area counties.

Child Population by Race Alone, Percent (Age 0-17)



Sources:   
 • US Census Bureau American Community Survey 5-year estimates.   
 • Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).   
 • Note that county-level data uses 2011-2015 census estimates, and state and national data use 2016-2020 census estimates.

## Ethnicity


In the Total Service Area, 3 in 10 children (30.9%) are Hispanic.

**BENCHMARK** ► Higher than found nationally.

**DISPARITY** ► Highest in Osceola County.



## Hispanic Child Population, Percent (Age 0-17)



Sources: 


- US Census Bureau American Community Survey 5-year estimates.
- Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap ([sparkmap.org](http://sparkmap.org)).
- Note that county-level data uses 2011-2015 census estimates, and state and national data use 2016-2020 census estimates.

## Age

It is important to understand the percentage of youth in the community, as this population has unique health needs that should be considered separately from others along the age spectrum.

**In the Total Service Area, 21.6% of the total population are infants, children, or adolescents (age 0-17); another 62.2% are age 18 to 64, while 16.2% are age 65 and older.**


## Total Population by Age Groups, Percent (2016-2020)



Sources: 

- US Census Bureau American Community Survey 5-year estimates.
- Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap ([sparkmap.org](http://sparkmap.org)).






## Linguistic Isolation

A total of 5.1% of the Total Service Area population age 5 and older live in a home in which no person age 14 or older is proficient in English (speaking only English, or speaking English “very well”).

**BENCHMARK** ▶ Higher than found across the US but below that found across Florida.

**DISPARITY** ▶ Highest in Orange and Osceola counties.



### Linguistically Isolated Population (2016-2020)



Sources: • US Census Bureau American Community Survey 5-year estimates.  
 • Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).

Notes: • This indicator reports the percentage of the population aged 5 and older who live in a home in which no person 14 years old and over speaks only English, or in which no person 14 years old and over speak a non-English language and speak English “very well.”





# SOCIAL DETERMINANTS OF HEALTH

## ABOUT SOCIAL DETERMINANTS OF HEALTH

Social determinants of health (SDOH) are the conditions in the environments where people are born, live, learn, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-life outcomes and risks.

Social determinants of health (SDOH) have a major impact on people's health, well-being, and quality of life. Examples of SDOH include:

- Safe housing, transportation, and neighborhoods
- Racism, discrimination, and violence
- Education, job opportunities, and income
- Access to nutritious foods and physical activity opportunities
- Polluted air and water
- Language and literacy skills

SDOH also contribute to wide health disparities and inequities.

- Healthy People 2030 (<https://health.gov/healthypeople>)


## Poverty

The latest census estimate shows **18.6% of Total Service Area children living below the federal poverty level.**

**BENCHMARK** ► Worse than the national percentage.

**DISPARITY** ► Highest in Polk County.

Percent of Children in Low-Income Households  
(Children 0-17 Living Below 100% of the Poverty Level, 2016-2020)




Sources: • US Census Bureau American Community Survey 5-year estimates.

• Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap ([sparkmap.org](http://sparkmap.org)).

Notes: • This indicator reports the percentage of children aged 0-17 living in households with income below 100% of the Federal Poverty Level (FPL). This indicator is relevant because poverty creates barriers to access including health services, healthy food, and other necessities that contribute to poor health status.





## Food Insecurity

Surveyed adults were asked: "Now I am going to read two statements that people have made about their food situation. Please tell me whether each statement was "Often True," "Sometimes True," or "Never True" for you in the past 12 months:


- I worried about whether our food would run out before we got money to buy more.
- The food that we bought just did not last, and we did not have money to get more."

Those answering "Often" or "Sometimes True" for either statement are considered to be food insecure.

**In the past year, 43.8% of Total Service Area parents "often" or "sometimes" worried about whether their food would run out before they had money to buy more.**

**Another 33.0% report a time in the past year ("often" or "sometimes") when the food they bought just did not last, and they did not have money to get more.**

### Food Insecurity (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 308-309]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: • Reflects the total sample of respondents.



**Overall, 46.4% of surveyed families are determined to be “food insecure,” having run out of food in the past year and/or been worried about running out of food.**


**BENCHMARK** ▶ Worse than the US percentage.

**TREND** ▶ Marks a significant increase since 2019.

**DISPARITY** ▶ More often reported among parents of Black and Hispanic children, and especially those in lower-income households.

See also *Nutrition* in the Modifiable Health Risks section of this report.

## Food Insecurity




Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 152]  
 ● 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: ● Asked of all respondents.  
 ● Includes adults who A) ran out of food at least once in the past year and/or B) worried about running out of food in the past year.

Charts throughout this report (such as that here) detail survey findings among key demographic groups – namely by child’s gender, age groupings, household income (based on poverty status), and race/ethnicity.

Here, “very low income” refers to households with defined poverty status; “low income” refers to households with incomes just above the poverty level and earning up to twice (100%-199% of) the poverty threshold; and “mid/high income” refers to those households living on incomes which are twice or more (≥200% of) the federal poverty level.

In addition, Hispanic children are grouped, regardless of identity with any other race group. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).

## Food Insecurity (Total Service Area, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 152]  
 Notes: ● Asked of all respondents.  
 ● Includes adults who A) ran out of food at least once in the past year and/or B) worried about running out of food in the past year.  
 ● Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 ● Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.





# PERCEPTIONS OF TOP HEALTH ISSUES

# CHILD HEALTH

## Perceived Top Health Issues

The initial inquiry of the PRC Child & Adolescent Health Survey asked respondents the following:


“In general, what do you feel is the number-one health issue affecting children under the age of 12 in your community today?”

This question was open-ended, meaning that respondents were free to mention whatever came to mind, and their verbatim responses were recorded. These responses were then grouped thematically for reporting here.

The interrelated issues of obesity, nutrition, and exercise received the largest share of responses (17.1%) as the perceived number-one health issue for children under the age of 12.

Mention of mental health followed, with 13.4% of responses.

Perceived Number-One Health Issue Affecting Children Under 12 in the Community (Among Total Service Area Parents With a Child Age 0-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 5]  
Notes: • Reflects total sample of respondents.


## Perceived Availability of Resources

For the issue that respondents identified as their number-one concern, respondents were then asked their perceptions regarding the availability of resources in the community to address that issue.

Those who mentioned mental health or obesity, nutrition, or exercise as the top children’s health issue largely see community resources to address these problems as insufficient (or non-existent).



## Perception of Existing Community Resources or Services for Number-One Health Issue Affecting Children Under 12 (By Perceived Primary Health Issue; Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 6]  
 Notes: • Among respondents who identified a top health concern.



# ADOLESCENT HEALTH


## Perceived Top Health Issues

“In general, what do you feel is the number-one health issue affecting adolescents age 12-17 in your community today?”

**When combined, responses related to obesity, nutrition, and exercise (16.1%) received top mention as the number-one health issue for adolescents age 12-17.**

Other frequent responses included mental health (mentioned by 13.3%), lack of insurance (12.9%), and COVID-19 (3.5%).

**Perceived Number-One Health Issue Affecting Adolescents (12-17) in the Community**  
(Among Total Service Area Parents With a Child Age 0-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 7]  
Notes: • Reflects the total sample of respondents.


## Perceived Availability of Resources

Respondents further were asked to identify their perceptions of the availability of resources in the community to address that issue that they identified as the number-one concern.

**Among those identifying lack of insurance, mental health, or obesity/nutrition/exercise as their top concern for adolescents, most view community resources to address these needs as insufficient (or nonexistent).**



## Perception of Existing Community Resources or Services for Number-One Health Issue Affecting Adolescents (By Perceived Primary Health Issue; Total Service Area, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 8]  
 Notes: ● Among respondents who identified a top health concern.





# HEALTH STATUS


# OVERALL HEALTH STATUS

## Evaluations of Child's Overall Health

"Would you say that, in general, this child's health is: excellent, very good, good, fair, or poor?"

Most Total Service Area parents rate their child's overall health as "excellent" (41.2%) or "very good" (33.6%).

Child's Health Status  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 16]  
Notes: • Asked of all respondents about a randomly selected child in the household.

**NOTE:**

Differences noted in the text represent significant differences determined through statistical testing.

The terms "child" and "children" are used throughout this report to refer to children and adolescents of all ages (0-17), unless otherwise specified.

Although survey respondents are often referred to as "parents" throughout this report, they may in fact be a grandparent or other guardian for a child in the household.

However, 6.9% of Total Service Area adults believe that their child's overall health is "fair" or "poor."


**BENCHMARK** ▶ Worse than the national finding.

**TREND** ▶ Represents a significant increase over time.

**DISPARITY** ▶ Much more often reported among households with very low incomes. Also more often reported among parents of teens and parents of Hispanic children.

### Child Experiences "Fair" or "Poor" Overall Health


Total Service Area



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 16]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents about a randomly selected child in the household.  
• \*2013 and 2016 results do not include responses from Polk County.



## Experience “Fair” or “Poor” Overall Health (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 16]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 • Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.

## Activity Limitations


**A total of 18.5% of Total Service Area children are limited or prevented in some way in his/her ability to do things most children of the same age can do because of a medical, behavioral, or other health condition.**

**BENCHMARK** ▶ Considerably higher than the US percentage.

**TREND** ▶ Marks a significant increase over time.

**DISPARITY** ▶ Those more likely to have limitations include children age 13 to 17 and White children.

## Prevalence of Activity Limitations



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 66]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.



## Prevalence of Activity Limitations (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 66]

- Notes:
- Asked of all respondents about a randomly selected child in the household.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

Activity limitations among Total Service Area children are most often attributed to conditions such as **autism, ADHD, and asthma**.

## Description of Activity Limitations (Among Children With Activity Limitations; Total Service Area, 2022)



**Activity Limitation Is the Result of a Long-Term Condition**

**Type of Problem that Most Limits Activities**

Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 67-68]

- Notes: • Asked of respondents for whom the randomly selected child in the household has some type of activity limitation.



# School Days Missed Due to Illness or Injury

While most Total Service Area school-age children (age 5-17) missed two or fewer school days in the past year due to illness or injury, 15.1% are reported to have missed 10 or more.


“During the past 12 months, about how many times did this child miss school because of illness or injury?”

**BENCHMARK** ▶ Considerably higher than found nationwide (note, however, that the national benchmark represents data pre-COVID).

**TREND** ▶ Denotes a significant increase since 2019.


**DISPARITY** ▶ Lowest in Orange County. More prevalent among children in lower-income households, White children, and Hispanic children.

Number of School Days Missed in the Past Year Due to Illness or Injury (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 94]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5 to 17.


Child Missed 10 or More School Days in the Past Year Due to Illness or Injury (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 94]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5 to 17.



## Child Missed 10 or More School Days in the Past Year Due to Illness or Injury (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 94]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5 to 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# MENTAL HEALTH

## ABOUT MENTAL HEALTH

Childhood and adolescence are critical stages of life for mental health. This is a time when rapid growth and development take place in the brain. Children and adolescents acquire cognitive and social-emotional skills that shape their future mental health and are important for assuming adult roles in society.

The quality of the environment where children and adolescents grow up shapes their well-being and development. Early negative experiences in homes, schools, or digital spaces, such as exposure to violence, the mental illness of a parent or other caregiver, bullying and poverty, increase the risk of mental illness.

Mental health conditions, such as childhood epilepsy, developmental disabilities, depression, anxiety and behavioral disorders, are major causes of illness and disability among young people.... The consequences of not addressing mental health and psychosocial development for children and adolescents extend to adulthood and limit opportunities for leading fulfilling lives.


- World Health Organization (<https://www.who.int/activities/Improving-the-mental-and-brain-health-of-children-and-adolescents>)

## Child's Mental Health Status

“Now thinking about this child’s mental health, which includes stress, depression, and problems with emotions, would you say that this child’s mental health is: excellent, very good, good, fair, or poor?”

**Most Total Service Area parents of children age 5-17 rate their child’s mental health — which includes stress, depression, and problems with emotions — as “excellent” (27.7%) or “very good” (31.2%).**

Child’s Mental Health Status  
(Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 77]  
Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.




However, 17.9% of Total Service Area parents believe that their school-age child’s mental health is “fair” or “poor.”

**BENCHMARK** ▶ Worse than the national (pre-COVID) finding.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ Parents of girls, parents of teens, and parents with lower incomes are more likely to report their child has “fair” or “poor” mental health.

### Child Experiences “Fair” or “Poor” Mental Health (Total Service Area Children Age 5-17, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 77]  
 ● 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: ● Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 ● \*2013 and 2016 results do not include responses from Polk County.

### Child Experiences “Fair” or “Poor” Mental Health (Total Service Area Children Age 5-17, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 77]  
 Notes: ● Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 ● Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 ● Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.



# Depression

## Diagnosed Depression


A total of 14.4% of Total Service Area parents report that they have been told by a doctor or other healthcare provider that their school-age child had depression.

**BENCHMARK** ▶ Worse than the US finding.

**TREND** ▶ Represents a significant increase from previous surveys.


**DISPARITY** ▶ More prevalent among girls, teens, and children in households with very low incomes.

### Child Has Been Diagnosed with Depression (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 86]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Been Diagnosed with Depression (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 86]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Signs of Depression


A total of 12.5% of Total Service Area parents indicate that their school-age child felt so sad or hopeless almost every day for two weeks or more in the past year that the child stopped doing some usual activities.

**BENCHMARK** ▶ More than two times the national percentage.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ More prevalent among girls, teens, and children in households with very low incomes.

### Child Felt Sad or Hopeless for Two or More Weeks in the Past Year and Stopped Performing Usual Activities (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 84-85]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Felt Sad or Hopeless for Two or More Weeks in the Past Year and Stopped Performing Usual Activities (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 84]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Suicide Attempts (Adolescents)

Among Orange County high school students, 10.3% report attempting suicide in the past year (2019 Youth Risk Behavior Survey).

**BENCHMARK** ▶ Higher than state and national findings. Fails to satisfy the Healthy People 2030 objective.

**DISPARITY** ▶ More often reported among Black and Hispanic students than among White students.


### Attempted Suicide in the Past Year (Among High School Students; Youth Risk Behavior Surveys, 2019) Healthy People 2030 Target = 2.4% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Attempted suicide one or more times during the 12 months before the survey.

### Attempted Suicide in the Past Year (Among High School Students; Youth Risk Behavior Survey, 2019) Healthy People 2030 Target = 2.4% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Attempted suicide one or more times during the 12 months before the survey.



# Anxiety

## Anxiety Disorders


A total of 26.2% of Total Service Area parents report that they have been told by a doctor or other health care provider that their school-age child had anxiety.

**BENCHMARK** ▶ Almost twice the national finding.

**TREND** ▶ Denotes a dramatic increase over time.


**DISPARITY** ▶ Highest in Brevard County. More prevalent among girls, teens, White children, and Hispanic children.

### Child Has Been Diagnosed with Anxiety (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 89]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Been Diagnosed with Anxiety (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 89]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Worry

Four of every 10 parents in the Total Service Area (40.3%) indicate that their school-age child worries a lot.


“Would you say that this child worries a lot?”

**BENCHMARK** ▶ Higher than the US percentage.

**TREND** ▶ Marks a steady and significant increase over time.


**DISPARITY** ▶ More often reported among parents of girls, adolescents, White children, and Hispanic children.

### Child Worries a Lot (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 82]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Worries a Lot (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 82]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Sleep Difficulties


A total of 33.5% of Total Service Area parents indicate that their school-age child has difficulty falling asleep and/or sleeping through the night.

**BENCHMARK** ▶ Worse than the national finding.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ Highest in Brevard County. More prevalent among children living at very low incomes.

### Child Has Difficulties Falling Asleep and/or Sleeping Through the Night (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 83]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Difficulties Falling Asleep and/or Sleeping Through the Night (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 83]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Cognitive & Behavioral Disorders

## Attention Deficit Hyperactivity Disorder (ADHD)


A total of 23.9% of Total Service Area children are reported to have ever suffered from or been diagnosed with ADHD (also sometimes referred to as attention deficit disorder, or ADD).

**BENCHMARK** ▶ Higher than found across the US.

**TREND** ▶ Marks a sharp increase from previous survey results.


**DISPARITY** ▶ Highest in Brevard County. More prevalent among boys and among children age 5 and older (positively correlated with age).

### Child Has ADD/ADHD (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 65]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has ADD/ADHD (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 65]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Learning Disabilities


A total of 17.8% of Total Service Area children are reported to have some type of learning disability.

**BENCHMARK** ▶ Less favorable than the national finding.

**TREND** ▶ Denotes a significant increase from previous survey results.

**DISPARITY** ▶ More often affects children age 5 and older and those in very low-income households.

### Child Has a Learning Disability (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 62]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has a Learning Disability (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 62]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Developmental Delays


A total of 16.2% of Total Service Area children have been diagnosed with some type of developmental delay that affects his/her ability to learn.

**BENCHMARK** ▶ Higher than the US percentage.

**TREND** ▶ Represents a significant increase from previous surveys.


**DISPARITY** ▶ More prevalent among boys and children in very low-income households.

### Child Has a Developmental Delay (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 64]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has a Developmental Delay (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 64]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Behavioral/Conduct Disorders


Among Total Service Area parents of children age 5-17, 12.6% indicate that a doctor or other health care provider has ever told them that their child has some type of behavioral or conduct disorder, such as oppositional defiant disorder or conduct disorder.

**BENCHMARK** ▶ Almost three times the US percentage.

**TREND** ▶ Denotes a significant increase over time.


**DISPARITY** ▶ More prevalent among boys and children in very low-income households.

### Child Has a Behavioral/Conduct Disorder (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 87]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has a Behavioral/Conduct Disorder (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 87]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Autism Spectrum Disorders


Among Total Service Area parents of children age 5-17, 12.6% indicate that their child has been diagnosed with autism, Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder.

**BENCHMARK** ▶ Considerably higher than the national finding.

**TREND** ▶ Represents a significant increase over time.


**DISPARITY** ▶ More prevalent among boys and children in very low-income households.

### Child Has Autism, Asperger's Disorder, Pervasive Developmental Disorder, or Autism Spectrum Disorder (Total Service Area Children Age 5-17, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 88]
  - 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes:
- Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
  - \*2013 & 2016 data do not specifically include additional diagnoses on the autism spectrum, such as Asperger's disorder, pervasive developmental disorder, or autism spectrum disorder.
  - \*2013 and 2016 results do not include responses from Polk County.

### Child Has Autism, Asperger's Disorder, Pervasive Developmental Disorder, or Autism Spectrum Disorder (Total Service Area Children Age 5-17, 2022)




- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 88]
- Notes:
- Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Cognitive & Behavioral Conditions

Key informants taking part in an online survey generally characterized *Cognitive & Behavioral Conditions* as a “major problem” in the community.

### Perceptions of Cognitive & Behavioral Conditions as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Access to Care/Services

Lack of access to specialty care, especially for underinsured and uninsured. Also, parents to recognize their children have a problem. – Public Health Representative

Not enough resources exist in the community for help. – Social Services Provider

Not enough providers or access to providers. – Physician

Families with children with cognitive and behavioral conditions often struggle to access resources. Depending on the conditions, parents or caretakers may have limitations as to what type of jobs they can do due to the time-intensive care their child/children with special needs require. They may have transportation issues and trouble accessing specialists needed to support the care of these children. Finding family and friends that are supportive can also be challenging. This creates tremendous stress for families. – Public Health Representative

Patients and primary care providers are seeking proper diagnosis for ADHD/ADD, autism, and learning disabilities but are having a serious delay in finding the proper evaluators for these conditions. Only two neurologist practices evaluate and diagnose these conditions in central Florida. The psychologists in the area are overburdened. And of course, the insurances limit even more choices on mental health providers for the evaluation. In addition, there are only a handful of public and private schools that are able to provide these children with the proper education; to place them in the right setting. – Physician

Lack of community resources to identify, treat, and support children with cognitive and behavioral conditions. – Other Health Provider

There are few services for kids with autism and learning disabilities, not to mention anger management and kids living in traumatic circumstances that don't have an opportunity for a trauma-focused, evidence-based practice intervention. – Other Health Provider

#### Diagnosis/Treatment

For learning disabilities, the requirements needed in order to assess and evaluate take an extremely long time. Specific requirements need to be met in order to gain access to services. For ADD/ADHD, there needs to be better education for all which include parents, teachers, and mental health providers. ADD/ADHD has been and continues to be an “easy” diagnosis for people to make instead of completing thorough evals. Oftentimes, a child's diet, home environment, style of learning play a major part in their behavior. Parents and mental health providers settle for a quick diagnosis and medication as the solutions. Also, the quality of mental health providers are unfortunately not that great, especially when you have health insurance/Medicaid. You wait at least a month for a provider to see you, and when your appointment finally arrives, someone is assigned to you from a list in their office. Families don't have the luxury of actually of being able to see if the provider is a fit. – Community/Business Leader

It takes a long time to diagnose and even longer to implement interventions. Processes need to be shorter. It has been further exacerbated by the pandemic. – Community/Business Leader

Children not being diagnosed early and accordingly. – Social Services Provider



## Awareness/Education

Parents do not have educational resources to reach out. It's expensive. Children go undiagnosed. – Social Services Provider

Number of children not ready for kindergarten. Number of suspensions from childcare. – Community/Business Leader

## Prevalence/Incidence

In Polk, I believe these conditions are being diagnosed with increasing frequency. There are not enough treatment or referral sites within the county. – Public Health Representative

Growing problem being identified by the media and health community. – Community/Business Leader

## Multiple Factors

During this time, there seems to be more mental health issues affecting children. COVID, family/school situations (divorce, abuse, instability, poverty, place of residency, bullying...), environmental factors, social determinants of health, etc., affect children's capacity for leaning, their behavior, they suffer from anxiety/depression, etc. – Public Health Representative

## Access to Care for Uninsured/Underinsured

Mental health services for the uninsured are few and far between. – Public Health Representative

## Impact on Quality of Life

Cognitive and behavioral issues make it difficult for our young children ages birth to 3 to learn and develop at a healthy rate. COVID has added stress to parents and children. The effects of virtual learning during the pandemic are still not completely realized, either. – Social Services Provider

It can pose issues in mental progression and peer relationships. – Community/Business Leader

## Due to COVID-19

Discipline issues have rocketed in high schools in the past year and a half, after COVID. – Social Services Provider

## Income/Poverty

Keeping in mind that the children and youth I am concerned with are those who are food insecure and living in poverty that my organization serves. We work closely with several schools, mostly in the tri-county metro Orlando area, where cognitive and behavioral conditions interfere with children's learning and well-being. The school staff and faculty that our teams interact with are regularly frustrated by prevalence of these issues and lack of effective treatment. – Social Services Provider

## Isolation

Being home for so long has caused a lot of behavioral issues; schools see it a lot. Kids who were getting extra help then had to do it from home, with not always the support needed. – Social Services Provider



# Mental Health Services & Treatment

## Awareness of Mental Health Services


**One-half of Total Service Area parents (50.8%) say that they are aware of local community resources for mental health.**

**BENCHMARK** ▶ Considerably lower than the US percentage.

**TREND** ▶ Denotes a significant decrease since 2019.


**DISPARITY** ▶ Lowest in Orange County. Awareness is also lower among parents of Hispanic children.

### Aware of Mental Health Resources in the Community (Among Parents of Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 305]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.

### Aware of Mental Health Resources in the Community (Among Parents of Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 305]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Need for Mental Health Services


A total of 24.6% of Total Service Area parents report that their child (age 5-17) has needed mental health services in the past year.

**BENCHMARK** ▶ Less favorable than found across the country.

**TREND** ▶ Marks a significant increase over previous surveys.


**DISPARITY** ▶ Highest in Brevard County. More often reported among parents of girls and teens.

### Child Needed Mental Health Services in the Past Year (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 78]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Needed Mental Health Services in the Past Year (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 78]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Receipt of Mental Health Services


A total of 20.0% of Total Service Area parents report that their child (age 5-17) has received mental health services in the past year.

**BENCHMARK** ▶ Higher than the US percentage.

**TREND** ▶ Marks a significant increase over previous surveys.


**DISPARITY** ▶ Highest in Brevard County. More often reported among parents of girls, adolescents, and those with very low incomes.

Child Received Mental Health Treatment in Past Year  
(Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 79]  
Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.


Child Received Treatment or Counseling in the Past Year  
(Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 79]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
• \*2013 and 2016 results do not include responses from Polk County.



## Child Received Treatment or Counseling in the Past Year (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 79]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.


## Prescriptions for Mental Health

**A total of 15.5% of Total Service Area parents report that their child (age 5-17) has ever taken a prescribed medication for his/her mental health.**

**TREND** ► Denotes a significant increase from previous surveys.

**DISPARITY** ► Most prevalent among teens, children in very low-income households, and White children.


## Child Has Ever Taken Prescription Medication for Mental Health (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 81]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.



## Child Has Ever Taken Prescription Medication for Mental Health (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 81]  
 Notes: • Asked of respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

## Key Informant Input: Mental & Emotional Health

Nearly three-fourths of key informants taking part in an online survey characterized *Mental & Emotional Health* as a "major problem" for children/adolescents in the community.

### Perceptions of Mental & Emotional Health as a Problem for Children/Adolescents in the Community (Key Informants, 2022)

■ Major Problem ■ Moderate Problem ■ Minor Problem ■ No Problem At All



Sources: • PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents.

Among those rating this issue as a "major problem," reasons related to the following:

### Access to Care/Services

- Access to mental health care providers continues to be an issue due to the limited number of available providers and long wait times. – Other Health Provider
- Difficult to get quick access to specialists. – Physician
- Although there are some resources for mental health in our community, the need is greater than the access to services. – Community/Business Leader
- Timely access to providers. Quality of providers. Lack of mental health providers. Social stigma. Difficulties in identifying and communicating distress. Financial cost associated. – Community/Business Leader
- Limited access to resources due to lack of access, limited providers or insurance issues and cost. – Physician
- Behavioral health, ABA therapies for children. Wait lists of six months or more. – Social Services Provider
- Lack of community resources. – Other Health Provider



Increasing access to mental health services continues to be a priority in Orange County as we navigate through provider shortages and increased demand for these services after the pandemic. The Orange County Mental Health and Homeless Division ensure that quality mental health services for individuals and families, children, and adults are available and accessible in this community. The division ensures that there are dedicated resources available through a network of community partners, providers, and advocacy groups. Orange County continues to lead community conversations in a continuous effort to identify better solutions and stronger outcomes for those experiencing homelessness and mental health/behavioral needs. – Community/Business Leader

It's more about access to the mental health services for them. No insurance, backlogs, too far to drive sometimes, etc. – Social Services Provider

There's a shortage to access and services. Specifically, to affordable access and services. Moreover, there are very little inpatient beds in the community. – Other Health Provider

## Due to COVID-19

The impact of COVID -19 for the past two years and what it has done to our children. This is on top of all the Adverse Childhood Experiences (ACEs) can have a tremendous impact on future violence victimization and perpetration, and lifelong health and opportunity. – Community/Business Leader

I believe this topic is a major problem for many reasons, such as the isolation due to the pandemic, hybrid schooling due to the pandemic, peer pressure, online bullying, family problems and other domestic problems, such as separation and divorces. – Public Health Representative

I regularly attend community meetings, and for the last year and a half I have consistently heard mental health professionals talking about the increase in mental health concerns for youth, particularly in relation to the impact of COVID. It has also shown up consistently in CHNA results. – Social Services Provider

Children have been under a lot of stress due to the pandemic, which has created more issues, such as self-regulation and control. We have seen a huge uptick in behavioral issues in our schools. Students are suffering from anxiety and depression. – Community/Business Leader

These past two years have been very difficult for families and their children, dealing with a lot of stress. – Public Health Representative

Increase of suicidal behaviors due to COVID and staying home. – Public Health Representative

The COVID-19 pandemic and the safety plugs and precautions, the numbers of student cases of anxiety, self-esteem, and behavioral issues have increased. There is also a lack of facilities and community support for families and students for mental health. – Other Health Provider

Lots of anxiety and mood disorders following COVID-19 pandemic. – Physician

## Prevalence/Incidence

There are many mental health concerns in our community. Children are born with mental illness that may take years to completely manifest. Parents with mental illness like depression unaddressed can make the home life stressful and even unhealthy for children. Early detection of mental health needs is key so that we can make referrals that are appropriate and get the help children need so that they can cope and function successfully at school and home. – Social Services Provider

Every child that I personally know is dealing with some sort of mental health issue. Depression and anxiety are a huge problem for all our youth right now. Access to care is a problem. It is a difficult process to find therapist and to get proper behavioral health assessments done. – Community/Business Leader

There is a perception that mental health issues are increasing in children. Baker Acts in schools are increasing, as well as acting out behaviors. Parental stress, financial stress, parental substance use, and the pandemic are all impacting this. – Public Health Representative

The number of individuals who move to and visit our community. – Public Health Representative

Children are suffering more from anxiety and depression, and we hear more and more on the news about suicide. – Public Health Representative

Mental Health Gap Analysis-Orange County. – Community/Business Leader

Observation of behavior, parents' concerns, courses with low achievement due to anxiety, irritability behavior, and increasing cases of suicide attempts. – Social Services Provider

## Social Media

Stress related to social media. This was relayed to me when we did a focus group of high school students a couple of years ago. – Public Health Representative

TikTok and other such platforms give kids a false sense of real. – Social Services Provider

They feel tremendous pressures like never before due to social media, the negativity of just all forms of media, and the toxicity of our elected officials at almost every level. – Community/Business Leader



## Diagnosis/Treatment

Families with children with mental health conditions often don't realize they may have a mental health condition. Early detection of these seems to be sometimes challenging. There is also still a stigma associated with mental health struggles. Poor mental health or untreated mental health conditions can lead to loss of income and poor health. Depending on where you live, you may not have access to prompt mental health care. More crisis response units are needed in our area to help families who are experiencing mental health emergencies. These mobile crisis response units have been such a big help to some of our clients! – Public Health Representative

Undiagnosed neurochemical problem, social pressures, neurodivergence. – Community/Business Leader

## Denial/Stigma

Still too much of a stigma associated with positive mental health treatment. – Social Services Provider

## Income/Poverty

The same children living in poverty and who do not have adequate nutrition are suffering trauma that will impact their physical and mental health throughout their lifetime. With more than 25% of food insecure children in Orange, Osceola, Seminole, Lake, Volusia and Brevard counties, suffering daily hunger and malnutrition affect brain functioning that cascade into multiple deficits in the child's experience. The problem is enormous. – Social Services Provider

## Suicide Rates

The data speaks for itself. Suicide rates have increased exponentially, but the access to care has not. This is a major and a very serious problem. – Other Health Provider

## Coping Skills

Coping skills, specifically. Many kids aren't able to handle being told no, have disagreements or interactions with others appropriately. – Social Services Provider





# CHRONIC DISEASE & SPECIAL HEALTH NEEDS

# PREVALENCE OF SELECTED MEDICAL CONDITIONS

## Speech & Language Problems

### Chronic Ear Infections

Among Total Service Area parents of children under the age of 18, 18.5% indicate that their child has had three or more ear infections in his/her life.


**TREND** ▶ Marks a significant decrease from the 2013 survey.

**DISPARITY** ▶ Highest in Brevard County. More prevalent among children age 0 to 4 and White children.

Respondents were asked to report on the prevalence of a number of chronic conditions and illnesses afflicting children.


“Has this child ever suffered from or been diagnosed with any of the following medical conditions ....”

### Child Has Had Three or More Ear Infections (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 61]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Had Three or More Ear Infections (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 61]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 • Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.



## Speech/Language Issues


A total of **20.6%** of Total Service Area children have some type of speech or language problem.

**BENCHMARK** ▶ Higher than the national percentage.

**TREND** ▶ Denotes a significant increase from previous surveys.


**DISPARITY** ▶ More often reported among parents of boys, children age 12 and younger, and Hispanic children. Particularly high in households with very low incomes.

### Child Has Speech/Language Problems (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 63]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Speech/Language Problems (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 63]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Hearing Problems

A total of 8.7% of Total Service Area children have been diagnosed with hearing problems.

TREND ► Denotes a significant increase since the 2013 survey.


DISPARITY ► More prevalent among boys and younger children.

### Child Has Hearing Problems (Total Service Area, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 37]
  - 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes:
- Asked of all respondents about a randomly selected child in the household.
  - \*2013 and 2016 results do not include responses from Polk County.

### Child Has Hearing Problems (Total Service Area, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 37]
- Notes:
- Asked of all respondents about a randomly selected child in the household.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Vision Problems


A total of 12.0% of Total Service Area children have vision problems that cannot be corrected with glasses or contact lenses.

**BENCHMARK** ▶ Worse than the national finding.

**TREND** ▶ Represents a significant increase from previous surveys.


**DISPARITY** ▶ Highest in Orange County. More prevalent among children in households with very low incomes.

### Child Has Uncorrectable Vision Problems (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 35]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Uncorrectable Vision Problems (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 35]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Vision, Hearing & Speech Conditions

Most key informants taking part in an online survey characterized *Vision, Hearing, & Speech Conditions* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Vision, Hearing & Speech Conditions as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Diagnosis/Treatment

I believe there are numerous undiagnosed vision issues that occur with our children that greatly impact their learning because children don't know how to express what they are experiencing, or they have always had the issue, so they don't know it's not normal. I also think there is a lack of knowledge about many eye health or vision processing issues among educators or adults so they don't know what to look for. I think that every child should be evaluated for vision processing issues, such as convergence insufficiency. – Community/Business Leader

#### Limited Vision Care

Ophthalmology. Terribly difficult to find a pediatric optometrist/ophthalmologist. – Community/Business Leader  
As with dental care, vision care is often limited or unavailable for many kids living in poverty. – Social Services Provider



# Allergies

## Respiratory Allergies


A total of 23.9% of Total Service Area children suffer from respiratory allergies.

**BENCHMARK** ▶ Higher than the US percentage.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ Particularly high in Osceola County. More prevalent among Hispanic children.

### Child Has Respiratory Allergies (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 54]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Respiratory Allergies (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 54]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Eczema/Skin Allergies


A total of 26.7% of Total Service Area children have eczema or another skin allergy.

**BENCHMARK** ▶ Higher than the national finding.

**TREND** ▶ Represents a significant increase over time.


**DISPARITY** ▶ Lower in Brevard County. More often reported among parents of Black and Hispanic children.

### Child Has Eczema/Skin Allergies (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 57]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Eczema/Skin Allergies (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 57]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Food/Digestive Allergies


A total of 16.3% of Total Service Area children have some type of food or digestive allergy.

**BENCHMARK** ▶ Higher than found across the nation.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ More prevalent among teens.

### Child Has Food/Digestive Allergies (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 55]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Food/Digestive Allergies (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 55]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Allergies

Key informants taking part in an online survey generally characterized *Allergies* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Allergies as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Prevalence/Incidence

- Many children have respiratory and food allergies. – Public Health Representative
- There are a lot of patients with seasonal allergies and asthma. – Physician
- Children are constantly having issues with allergies, in and outside of buildings. – Social Services Provider

#### Environmental Contributors

- Climate change is evident in the longer periods of heat, which in turn extends the pollen season. This probably accounts for much of the respiratory allergies. – Community/Business Leader
- Environmental allergens, dust, mold, etc., are present more, given our year-round summer status. – Community/Business Leader




# Neurological Conditions

## Migraines/Severe Headaches

A total of 11.8% of Total Service Area children suffer from migraines or severe headaches.


- BENCHMARK** ▶ Higher than the national percentage.
- TREND** ▶ Denotes a significant increase over time.
- DISPARITY** ▶ Much more prevalent among adolescents.

### Child Has Migraines/Severe Headaches (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 60]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Migraines/Severe Headaches (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 60]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Brain Injury/Concussion

A total of 5.5% of Total Service Area children have suffered a brain injury or concussion.

TREND ► Marks a significant increase over time.


DISPARITY ► Highest in Osceola County. Less prevalent among children in the middle age group or the middle income category.

### Child Has Had a Brain Injury/Concussion (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 59]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Had a Brain Injury/Concussion (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 59]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Seizure Disorder/Epilepsy


A total of 6.0% of Total Service Area children have epilepsy or a seizure disorder.

**BENCHMARK** ▶ Less favorable than the US finding.

**TREND** ▶ Represents a significant increase over time.


**DISPARITY** ▶ Particularly prevalent among children in households with very low incomes.

### Child Has Seizure Disorder/Epilepsy (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 58]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Seizure Disorder/Epilepsy (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 58]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Neurological Conditions

Key informants taking part in an online survey slightly more often characterized *Neurological Conditions* as a “minor problem” than a “moderate problem” for children/adolescents in the community.

### Perceptions of Neurological Conditions as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Access to Care/Services

It takes too long to gain access to providers that can make the proper diagnosis. For example, if the complaint is severe headaches, you can just go in for an MRI. You must have documentation of complaints and unsuccessful treatments (medications) before a referral for a neurologist is given. And then the right description/wording of the issue needs to be said for a referral for an MRI. And when you finally reach that step, the copays are EXTREMELY high. Cost – From personal experience, an MRI copay was a little over \$800 dollars, but they would allow you to set up a payment plan. But self-pay was \$380; however, had to be paid at time of service. – Community/Business Leader



# Bone, Joint & Muscle Problems

## Bone/Joint/Muscle Issues


A total of 12.1% of Total Service Area children experience bone, joint, or muscle problems.

**BENCHMARK** ▶ Higher than found across the country.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ More often reported among parents of girls, teens, and White children.

### Child Has Bone, Joint, or Muscle Problems (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 56]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Bone, Joint, or Muscle Problems (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 56]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Bone, Joint & Muscle Conditions

Key informants taking part in an online survey generally characterized *Bone, Joint & Muscle Conditions* as a “minor problem” for children/adolescents in the community.

### Perceptions of Bone, Joint & Muscle Conditions as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Provider Competition

Worry about the competition for orthopedic work in Central Florida with Jewett, Rothman, and Brooks. The adult patients pay the freight and drive resources. The kids get left out. – Community/Business Leader

#### Multiple Factors

Humidity, lack of proper nutrition, vitamins. – Community/Business Leader



# Asthma

## Prevalence of Asthma


A total of 16.6% of Total Service Area children age 0 to 17 currently have asthma.

**BENCHMARK** ▶ Less favorable than the US finding.

**TREND** ▶ Marks an increase from previous studies.


**DISPARITY** ▶ More prevalent among children in very low-income households, Black children, and Hispanic children.

### Child Currently Has Asthma (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 125]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Currently Has Asthma (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 125]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Asthma-Related Care


### Emergent/Urgent Care

Among Total Service Area children with asthma, nearly one-half (49.8%) have had an emergency room or urgent care visit due to their asthma (at least once) in the past year.

Number of Asthma-Related ER/Urgent Care Visits in the Past Year  
(Total Service Area Children with Asthma, 2022)



Child Had At Least One Asthma-Related ER/Urgent Care Visit in the Past Year




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 48]  
Notes: • Asked of respondents with a child who currently has asthma.  
• \*2013 and 2016 results do not include responses from Polk County.

### Hospitalization


Among Total Service Area children with asthma, a total of 26.2% were hospitalized overnight (at least once) in the past year because of asthma.

TREND ► Significantly higher than the 2013 benchmark.

Number of Asthma-Related Hospital Stays in the Past Year  
(Total Service Area Children with Asthma, 2022)



Child Had At Least One Asthma-Related Hospital Stay in the Past Year



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 49]  
Notes: • Asked of respondents with a child who currently has asthma.  
• \*2013 and 2016 results do not include responses from Polk County.




## Loss of Productivity

### Missed School Days

Among Total Service Area school-age children with asthma, more than one-half (56.1%) missed school on one or more days in the past year because of asthma-related problems.

Number of School Days Missed Due to Asthma in the Past Year  
(Total Service Area Children Age 5-17 with Asthma, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 50]  
Notes: • Asked of respondents with a child who currently has asthma.  
• \*2013 and 2016 results do not include responses from Polk County.

### Parents' Missed Workdays

Further, 53.2% of Total Service Area parents with asthmatic children missed at least one day of work in the past year because of their child's asthma.

TREND ► Denotes a significant increase from the 2013 survey.

Workdays Missed in the Past Year Due to Child's Asthma  
(Total Service Area Parents of Children with Asthma, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 51]  
Notes: • Asked of respondents with a child who currently has asthma.  
• \*2013 and 2016 results do not include responses from Polk County.



## Key Informant Input: Asthma & Other Respiratory Conditions

Key informants taking part in an online survey most often characterized *Asthma & Other Respiratory Conditions* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Asthma & Other Respiratory Conditions as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Multiple Factors

Many environmental allergens are present. Lack of preventative care. Upper respiratory infections. – Community/Business Leader

It is a chronic disease, one that many families delay treatment until the need to go to the emergency room. A great deal can be done to help a young person and family, but preventive and educational measures are not undertaken. Need to partner up with America Lung Association. – Community/Business Leader

Among those children and youth, my impression is that asthma is more often found to be present and inadequately treated among them, my information is garnered from many reports and presentations I have read and heard. Environmental factors, like mold, poor air quality, and unmanaged pollen are all contributors for these children and youth. – Social Services Provider

#### Prevalence/Incidence

There are a lot of patients with reactive airway disease and seasonal allergies. – Physician

Awareness of multiple instances amongst children in the community. – Social Services Provider

We have a large number of children who frequent hospital emergency rooms and sometimes are hospitalized. – Public Health Representative

#### Environmental Contributors

Many children suffer from asthma, and there might be environmental triggers that cannot be controlled. – Public Health Representative

Exposure to allergens, such as pollen. – Community/Business Leader

#### Diagnosis/Treatment

Children being admitted and readmitted after discharge. Children are discharged home to the exact same conditions that got them admitted. – Public Health Representative

#### Impact on Families

Hospital admission. Missing days at school. Parents missing workdays to stay home with the child. – Social Services Provider



## Key Informant Input: Coronavirus Disease/COVID-19

Key informants taking part in an online survey generally characterized *Coronavirus Disease/COVID-19* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Coronavirus Disease/COVID-19 as a Problem for Children/Adolescents in the Community (Key Informants, 2022)

■ Major Problem   ■ Moderate Problem   ■ Minor Problem   ■ No Problem At All



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Lack of Adherence to Public Health Mitigation Measures

We live in a state where masks and care were not taken. Thankfully, cases are now low, but I do not trust children will be kept safe in our schools or by our government going forward. – Social Services Provider  
Parents are sending their children to schools while they are expressing symptoms. – Community/Business Leader

Children and adolescents are not as careful as we'd like them to be regarding washing their hands, covering their mouth when coughing or sneezing, keeping a safe distance from others, or wearing a mask indoors. They pick it up from others at school and take it home, infecting parents, grandparents, and siblings. – Community/ Business Leader

#### Long-Term Impact

COVID illness has impacted staff, children, and family health, therefore impacting service provision in schools, health care, childcare, and other settings. If new surges arise where vaccines have less effectiveness, this could create delays in academic achievement, health care, and economic impacts. – Public Health Representative  
The instruction lost due to quarantines and actual illness, plus the long-term effects of the virus. – Community/ Business Leader

#### Government/Politics

Because it's a serious disease that gets minimized and mocked by our governor. – Community/Business Leader  
The state removed protections for the students and allowed parents to make uneducated decisions. – Other Health Provider

#### Isolation

It impacted their development due to the lack of socialization and interactions proper of that developmental stage due to virtual schooling, isolation, social distancing, etc. – Community/Business Leader

#### Lack of Consistency Between Government/Private Sectors

Inconsistency between government and private sectors as to mask mandates and vaccine mandates. During the last holiday, it was extremely difficult to get testing. – Community/Business Leader

#### Children

There is not a vaccine available for younger children. Children are affected by the decisions made by others, such as the government, families, organizations, schools, etc. – Public Health Representative



# Diabetes

## Prevalence of Diabetes


A total of 2.8% of Total Service Area children age 0 to 17 have been diagnosed with diabetes.

**TREND** ▶ Marks a significant increase from the 2013 survey.

**DISPARITY** ▶ Lowest in Brevard County. More prevalent among children age 0 to 4, children in very low-income households, and Hispanic children.


### Child Has Diabetes (Total Service Area, 2022)

Total Service Area



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 142]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Diabetes (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 142]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Diabetes

Key informants taking part in an online survey generally characterized *Diabetes* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Diabetes as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Prevalence/Incidence

The incidence of both type 1 and type 2 diabetes is increasing among youth in the US. This has long-term impacts on our community health and healthcare systems, given the chronic nature of the disease. Our current CHIP plan in Orange County has specific indicators tied to adult diabetes. Instead of simply treating adult diabetes, we can start going upstream and try to prevent, as we are able, the disease in youth. In particular, the increasing incidence of type 2 diabetes goes hand-in-hand with nutrition being a major concern. We can support addressing type 2 diabetes with strategies to increase access to, and consumption of, healthier foods amongst youth. – Social Services Provider

Ranked at the top of the last two CHNAs. – Community/Business Leader

Media and health community has alerted us. Just look around. It is sad to see overweight young people. They may be cute and happy, but they are on a road to chronic disease. Early intervention and education is best. – Community/Business Leader

#### Access to Affordable Healthy Food

Affordable, quality food choices are hard to come by for families with limited resources; eventually, this results in obesity, diabetes, among other conditions. Not only is care to treat these conditions difficult to access, preventative options are not accessible. – Other Health Provider

According to our 2022 Community Assessment Update, the cost of housing for our families is high compared to their income. Families are having to spend less on healthy foods and other supplies in order to pay rent each month. When children get too little healthy food or too many unhealthy foods, this can lead to obesity, bad nutritional habits for their lifetime, and chronic illness like diabetes. – Social Services Provider

The children we work with come from households that typically do not have access to or can afford fresh and healthy food. The cheapest food is the most processed, highest in sodium, sugar and unhealthy fats, leading to obesity, a precursor of diabetes type 2, early onset. The pediatricians we are in contact with regularly express concern for these children and youth. – Social Services Provider

#### Awareness/Education

Education – Because children and adolescents usually don't have visible symptoms from diabetes, they do not realize the severity of the illness. So even if parents are following the requirements, many kids sneak food they should not be eating. Easier access to medications and monitors. – Community/Business Leader

#### Disease Management

We continue to see many new cases of diabetes, and those with diabetes do not understand proper disease management. – Other Health Provider

#### Insufficient Physical Activity

Not enough physical fitness, post-school time. – Community/Business Leader

#### Obesity

Many children are overweight, and behaviors support inactivity. – Public Health Representative




# Conditions Requiring Prescriptions or Special Therapy

Four out of 10 Total Service Area children (40.7%) have a chronic condition that requires prescription medication (not counting vitamins) or special therapy.

Special therapy might include physical, occupational, or speech therapy.


- BENCHMARK** ▶ Much higher than the national finding.
- TREND** ▶ Denotes a significant increase over time.
- DISPARITY** ▶ More prevalent among children age 5+ than among younger children.

## Child Has a Chronic Condition That Requires Prescription(s) and/or Special Therapy (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 140]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • In this case, "chronic conditions" are defined as conditions that have lasted (or are expected to last) 12 months or longer.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Child Has a Chronic Condition That Requires Prescription(s) and/or Special Therapy (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 140]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • In this case, "chronic conditions" are defined as conditions that have lasted (or are expected to last) 12 months or longer.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



**Speech difficulties** are the most common condition requiring therapy, named by more than one-fourth of these parents (27.1%).

### Type of Chronic Condition Requiring Therapy (Children Who Need Therapy For a Chronic Condition; Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 34]  
Notes: • Asked of all respondents whose child has a chronic condition which requires special therapy.



# SPECIAL HEALTH NEEDS

In all, three-fourths (75.0%) of Total Service Area children (age 0-17) are found to have special health needs.


**BENCHMARK** ▶ Higher than found across the US.

**TREND** ▶ Represents a significant increase over time.

**DISPARITY** ▶ Lowest in Orange County. More often reported among parents of teens and children in very low-income households.


Here, children with special health needs include those reported to have one or more of the chronic disease conditions tested in the survey or another chronic condition not specifically tested.

Child Has a Special Health Need  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 143]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Includes respondents reporting a child's diagnosis of any medical condition specifically measured in the survey, as well as any other not specifically addressed.  
 • \*2013 and 2016 results do not include responses from Polk County.

Child Has a Special Health Need  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 143]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Includes respondents reporting a child's diagnosis of any medical condition specifically measured in the survey, as well as any other not specifically addressed.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.





# PRENATAL & POSTNATAL CARE

# PRENATAL CARE

## ABOUT INFANT HEALTH

Keeping infants healthy starts with making sure women get high-quality care during pregnancy and improving women's health in general. After birth, strategies that focus on increasing breastfeeding rates and promoting vaccinations and developmental screenings are key to improving infants' health. Interventions that encourage safe sleep practices and correct use of car seats can also help keep infants safe.

The infant mortality rate in the United States is higher than in other high-income countries, and there are major disparities by race/ethnicity. Addressing social determinants of health is critical for reducing these disparities.

– Healthy People 2030 (<https://health.gov/healthypeople>)


**Between 2018 and 2020, 26.2% of all Total Service Area births did not receive prenatal care in the first trimester of pregnancy.**

**BENCHMARK** ▶ More favorable than the statewide finding but less favorable than the US finding.

**DISPARITY** ▶ Highest in Brevard and Polk counties.

## Lack of Prenatal Care in the First Trimester (Percentage of Live Births, 2018-2020)

Early and continuous prenatal care is the best assurance of infant health.



Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics. Data extracted May 2022.

Note: • This indicator reports the percentage of women who do not obtain prenatal care during their first trimester of pregnancy. This indicator is relevant because engaging in prenatal care decreases the likelihood of maternal and infant health risks. This indicator can also highlight a lack of access to preventive care, a lack of health, knowledge insufficient provider outreach, and/or social barriers preventing utilization of services.



## Lack of Prenatal Care in the First Trimester (Percentage of Live Births)



	2011-2013	2012-2014	2013-2015	2014-2016	2015-2017	2016-2018	2017-2019	2018-2020
<span style="color: red;">—</span> Total Service Area	26.1%	26.5%	26.9%	28.3%	29.7%	24.3%	25.8%	26.2%
<span style="color: green;">—</span> FL	25.6%	25.2%	24.3%	24.1%	25.3%	26.6%	27.5%	28.2%
<span style="color: blue;">—</span> US						22.6%	22.5%	22.3%

Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics.  
Data extracted May 2022.

Note: • This indicator reports the percentage of women who do not obtain prenatal care during their first trimester of pregnancy. This indicator is relevant because engaging in prenatal care decreases the likelihood of maternal and infant health risks. This indicator can also highlight a lack of access to preventive care, a lack of health, knowledge insufficient provider outreach, and/or social barriers preventing utilization of services.



# BIRTHS TO ADOLESCENT MOTHERS

## ABOUT FAMILY PLANNING

Unintended pregnancy is linked to outcomes like preterm birth and postpartum depression. Interventions to increase use of birth control are critical for preventing unintended pregnancies. Birth control and family planning services can also help increase the length of time between pregnancies, which can improve health for women and their infants.

Adolescents are at especially high risk for unintended pregnancy. Although teen pregnancy and birth rates have gone down in recent years, close to 200,000 babies are born to teen mothers every year in the United States. Linking adolescents to youth-friendly health care services can help prevent pregnancy and sexually transmitted infections in this age group.

– Healthy People 2030 (<https://health.gov/healthypeople>)


**Between 2018 and 2020, 4.2% of all births in the Total Service Area were to adolescents under 20 years of age.**

**BENCHMARK** ▶ More favorable than found nationally.

**TREND** ▶ Represents a significant decline over time.

**DISPARITY** ▶ Highest in Osceola and Polk counties.

**Births to Teenagers**  
(Percent of Births to Women Under Age 20, 2018-2020)




Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics. Data extracted May 2022.

Notes: • This indicator reports the percentage of live births to women under the age of 20. This indicator is relevant because in many cases, teen parents have unique social, economic, and health support services. Additionally, high rates of teen pregnancy may indicate the prevalence of unsafe sex practices.



## Births to Teenagers (Percent of Births to Women Under Age 20)



	2011-2013	2012-2014	2013-2015	2014-2016	2015-2017	2016-2018	2017-2019	2018-2020
<span style="color: red;">—</span> Total Service Area	7.7%	7.0%	6.3%	5.6%	5.2%	4.7%	4.5%	4.2%
<span style="color: green;">—</span> FL	7.4%	6.7%	5.9%	5.4%	5.1%	4.8%	4.6%	4.4%
<span style="color: blue;">—</span> US	7.8%	7.1%	6.4%	5.8%	5.4%	5.1%	4.8%	4.6%

Sources: 

- CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics. Data extracted May 2022.

Notes: 

- This indicator reports the percentage of live births to women under the age of 20. This indicator is relevant because in many cases, teen parents have unique social, economic, and health support services. Additionally, high rates of teen pregnancy may indicate the prevalence of unsafe sex practices.



# LOW-WEIGHT BIRTHS


A total of 8.5% of 2018-2020 Total Service Area births were low-weight.

DISPARITY ► Highest in Orange and Polk counties.

Low birthweight babies, those who weigh less than 2,500 grams (5 pounds, 8 ounces) at birth, are much more prone to illness and neonatal death than are babies of normal birthweight.

Largely a result of receiving poor or inadequate prenatal care, many low-weight births and the consequent health problems are preventable.

## Low-Weight Births (Percent of Live Births, 2018-2020)



Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics. Data extracted May 2022.

Note: • This indicator reports the percentage of total births that are low birth weight (Under 2500g). This indicator is relevant because low birth weight infants are at high risk for health problems. This indicator can also highlight the existence of health disparities.

## Low-Weight Births (Percent of Live Births)



Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, National Center for Health Statistics, Division of Vital Statistics. Data extracted May 2022.

Note: • This indicator reports the percentage of total births that are low birth weight (Under 2500g). This indicator is relevant because low birth weight infants are at high risk for health problems. This indicator can also highlight the existence of health disparities.



# INFANT HEALTH

## Breastfeeding & Breast Milk

### ABOUT BREASTFEEDING

Exclusive breastfeeding for 6 months has many benefits for the infant and mother. Chief among these is protection against gastrointestinal infections which is observed not only in developing but also industrialized countries. Early initiation of breastfeeding, within 1 hour of birth, protects the newborn from acquiring infections and reduces newborn mortality. The risk of mortality due to diarrhea and other infections can increase in infants who are either partially breastfed or not breastfed at all.

Breast-milk is also an important source of energy and nutrients in children aged 6-23 months. It can provide half or more of a child's energy needs between the ages of 6 and 12 months, and one-third of energy needs between 12 and 24 months. Breast milk is also a critical source of energy and nutrients during illness, and reduces mortality among children who are malnourished.

Children and adolescents who were breastfed as babies are less likely to be overweight or obese. Additionally, they perform better on intelligence tests and have higher school attendance. Breastfeeding is associated with higher income in adult life.

Longer durations of breastfeeding also contribute to the health and well-being of mothers: it reduces the risk of ovarian and breast cancer and helps space pregnancies – exclusive breastfeeding of babies under 6 months has a hormonal effect which often induces a lack of menstruation.

– World Health Organization (<https://www.who.int/news-room/fact-sheets/detail/infant-and-young-child-feeding>)

### Ever Breast-Fed


**Most Total Service Area children age 0 to 17 (71.6%) were breast-fed or fed using breast milk (regardless of duration).**

DISPARITY ► Highest in Orange County (not shown).

“For the next questions, I would like you to think back to when this child was an infant. As best you can recall, was this child ever breast-fed or fed using breast milk?”



## Child Was Ever Fed Breast Milk (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 113]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.


## Exclusive Breastfeeding

**More than one-fourth (29.6%) of all Total Service Area children were fed breast milk exclusively for the first 6 months of life.**

**BENCHMARK** ▶ Far from satisfying the Healthy People 2030 objective.

**DISPARITY** ▶ Lowest in Polk County. Particularly less prevalent among very low-income households.

## Age of Child When Introduced to Foods Other Than Breast Milk (Total Service Area Children Who Were Ever Fed Breast Milk, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 114]  
 Notes: • Asked of those respondents with a randomly selected child who was fed breast milk as an infant.



## Child Was Exclusively Breastfed for at Least 6 Months (Total Service Area, 2022)

Healthy People 2030 Target = 42.4% or Higher




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 132]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Asked of all respondents about a randomly selected child in the household.

## Child Was Exclusively Breastfed for at Least 6 Months (Total Service Area, 2022)

Healthy People 2030 Target = 42.4% or Higher



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 132]  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>


Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Key Informant Input: Infant Health

Key informants taking part in an online survey generally characterized *Infant Health* as a “moderate problem” for children in the community.

## Perceptions of Prenatal & Infant Health as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: • PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

### Prevalence/Incidence

Information provided by local agencies. – Community/Business Leader

A problem for a long time. Kids are 25% of our population but 100% of our future. Too many premature births. Need to spend more early to spend less later. – Community/Business Leader

I have heard this issue spoken about by community partners at multiple meetings as being a major concern in our region, particularly among women of color. Prenatal and infant health outcomes are often used as an indicator of health of the community, and thus is an important factor. – Social Services Provider

### Diagnosis/Treatment

According to our Community Assessment, there is a high number of pregnant mothers that do not receive the quality and quantity of prenatal care that they need, which can lead to a lack of support and care for health issues of the pregnant mother and child. – Social Services Provider

Experience with moms around me not getting proper care. – Community/Business Leader

### Minority Populations

It's especially a problem for uninsured, underinsured, and black women. They have challenges with accessing affordable care. Birth outcomes among black women are significantly worse than their white counterparts. – Other Health Provider

### Prenatal Care

Access to prenatal care during the first trimester. Low birth weight. Preeclampsia. Black infant mortality. – Social Services Provider

### Low Birth Weight

Still too many recurring instances of low child birth weight. – Social Services Provider

### Immunizations

Immunizations. – Public Health Representative

### Nutrition

I have had the opportunity to be involved with a small pilot with the Winnie Palmer High Risk Maternity Clinic, providing proper nutrition for pregnant moms either with or at-risk for gestational diabetes. So far, all nine babies delivered so far have been healthy and normal weight. – Social Services Provider





# MORTALITY


# INFANT MORTALITY

Between 2018 and 2020, there was an annual average of 6.1 infant deaths per 1,000 live births.

**BENCHMARK** ▶ Worse than the national rate. Fails to satisfy the Healthy People 2030 objective.

**TREND** ▶ Marks a decrease within the service area over time.

**DISPARITY** ▶ Highest in Polk County.



Sources: 

- CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted May 2022.
- US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: 

- Infant deaths include deaths of children under 1 year old.
- This indicator is relevant because high rates of infant mortality indicate the existence of broader issues pertaining to access to care and maternal and child health.

### Infant Mortality Rate

(Annual Average Infant Deaths per 1,000 Live Births)  
Healthy People 2030 Target = 5.0 or Lower



	2011-2013	2012-2014	2013-2015	2014-2016	2015-2017	2016-2018	2017-2019	2018-2020
Total Service Area	7.0	6.5	6.5	7.0	6.5	6.5	6.3	6.1
FL	6.2	6.1	6.2	6.2	6.2	6.1	6.0	5.8
US	6.0	5.9	5.9	5.9	5.8	5.7	5.6	5.5

Sources: 

- CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted May 2022.
- US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: 

- Infant deaths include deaths of children under 1 year old.
- Rates are three-year averages of deaths of children under 1 year old per 1,000 live births.
- This indicator is relevant because high rates of infant mortality indicate the existence of broader issues pertaining to access to care and maternal and child health.

Infant mortality rates reflect deaths of children less than one year old per 1,000 live births.



# CHILD & ADOLESCENT DEATHS

## ABOUT CHILD & ADOLESCENT DEATHS

Injuries (including road traffic injuries, drowning, burns, and falls) rank among the top causes of death and lifelong disability among children aged 5-14 years. The patterns of death in older children and young adolescents reflect the underlying risk profiles of the age groups, with a shift away from infectious diseases of childhood and towards accidents and injuries, notably drowning and road traffic injuries for older children and young adolescents.

The rise of injury deaths, particularly, road traffic injuries and drowning, demonstrate that the risk exposure is different for those over the age of 5 years. As a result, the nature of interventions needed to prevent poor health outcomes have shifted away from health sector actions to prevent and treat the infectious diseases of early childhood towards other sectors needed to take action to prevent mortality from road traffic injuries, violence and mental health problems. Actions across a range of government sectors including education, transportation and road infrastructure, water and sanitation and law enforcement are needed to prevent premature mortality in older children and young adolescents.

– World Health Organization (<https://www.who.int/news-room/fact-sheets/detail/mortality-among-children-aged-5-14-years>)

## Death Rates by Age Groups

**The following chart outlines mortality rates among Total Service Area children and adolescents in various age groups, expressed as the number of deaths per 100,000 population in those age groups.**

AGE 1 TO 4 ► More favorable than the statewide rate. Fails to satisfy the Healthy People 2030 objective.


AGE 5 TO 9 ► Less favorable than the statewide and national rates. Satisfies the Healthy People 2030 objective.

AGE 10 TO 14 ► More favorable than the national rate. Satisfies the Healthy People 2030 objective.

AGE 15 TO 19 ► More favorable than the statewide and national rates. Fails to satisfy the Healthy People 2030 objective.



## Child & Adolescent Mortality Rates by Age Group (Annual Average Child Mortality per 100,000 Population; 2018-2020) Healthy People 2030 Target = 18.4 or Lower (All Ages 1 to 19 Years)



Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
Notes: • Rates are crude rates, representing the number of deaths of children in each age group per 100,000 population.

## Leading Causes of Child Death

**Perinatal conditions** (such as low birthweight, preterm births, and complications of labor/delivery) are the number-one leading cause of death for Total Service Area infants under 1 year of age.

For all other age groups of children and adolescents, **unintentional injuries** are the leading cause of death.

See also *Injury & Safety* in the Modifiable Health Risks section of this report.

### Leading Causes of Child Deaths by Age Group (Total Service Area, 2011-2020)

	Under 1 Year	Ages 1 to 4	Ages 5 to 9	Ages 10 to 14	Ages 15 to 19
NUMBER-ONE LEADING CAUSE	Perinatal Conditions*	Unintentional Injuries (especially Drowning)	Unintentional Injuries	Unintentional Injuries (especially Motor Vehicle Crashes)	Unintentional Injuries (especially Motor Vehicle Crashes)
NUMBER-TWO LEADING CAUSE	Congenital Conditions**	Congenital Conditions**	Cancer	Suicide	Homicide
NUMBER-THREE LEADING CAUSE	Unintentional Injuries (especially Suffocation)	Homicide	Homicide	Cancer	Suicide

Sources: • CDC WONDER Online Query System. Centers for Disease Control and Prevention, Epidemiology Program Office, Division of Public Health Surveillance and Informatics. Data extracted May 2022.  
Notes: • \*Perinatal conditions include certain conditions occurring in the perinatal period, usually low birthweight, preterm birth, and complications of pregnancy, labor and delivery.  
• \*\*Congenital conditions include congenital malformations, deformations and chromosomal abnormalities.





# MODIFIABLE HEALTH RISKS

# NUTRITION

## Fruits & Vegetables

### Fruit & Vegetable Consumption


A total of 41.6% of Total Service Area parents of children age 2-17 report that their child eats five or more servings of fruits and/or vegetables per day.

**BENCHMARK** ▶ Better than the US finding.

**DISPARITY** ▶ Adolescents and Hispanic children are less likely to eat fruits and vegetables.


To measure fruit and vegetable consumption, survey respondents were asked multiple questions, specifically about the foods their child eats on a typical day.

### Child Has Five or More Servings of Fruits/Vegetables per Day (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 139]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has 5+ Fruits/Vegetables per Day (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 139]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Difficulty Accessing Fresh Produce

While most report little or no difficulty, 34.9% of Total Service Area parents report that it is “very” or “somewhat” difficult for them to access affordable fresh fruits and vegetables.


**BENCHMARK** ▶ Less favorable than the national finding.

**TREND** ▶ Represents a significant increase since 2019.

**DISPARITY** ▶ Parents of teens and Hispanic children are more likely to report difficulty accessing affordable, fresh produce.


“How difficult is it for you to buy fresh produce like fruits and vegetables at a price you can afford?”

Level of Difficulty Finding Fresh Produce at an Affordable Price  
(Total Service Area Parents, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 112]  
Notes: • Asked of all respondents.


Find It “Very” or “Somewhat”  
Difficult to Buy Affordable Fresh Produce  
(Total Service Area Parents, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 112]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents.



## Find It “Very” or “Somewhat” Difficult to Buy Affordable Fresh Produce (Total Service Area Parents, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 112]  
 Notes: • Asked of all respondents.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 • Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.


## Low Food Access

**In 2019, a total of 30.8% of Total Service area residents had low food access, defined as living more than 1/2 mile from the nearest supermarket, supercenter, or a large grocery store.**

**BENCHMARK** ▶ Less favorable than found statewide and nationwide.

**DISPARITY** ▶ Highest in Brevard County.

### Low Food Access (2019)



Sources: • US Department of Agriculture, Economic Research Service, USDA – Food Access Research Atlas.  
 • Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).  
 • This indicator reports the percentage of the population with low food access. Low food access is defined as living more than 1/2 mile from the nearest supermarket, supercenter, or large grocery store.

See also “Food Insecurity” under *Social Determinants of Health* in the Community Description section of this report.



# Fast Food


In 2019, there were 84.8 fast food restaurants per 100,000 population within the Total Service Area.

**BENCHMARK** ▶ Higher than found across Florida.

**TREND** ▶ Denotes a significant increase within the service area over time.


**DISPARITY** ▶ Highest in Orange County.

**Fast Food Restaurants**  
(Number of Fast Food Restaurants per 100,000 Population; 2019)



- Sources:
- US Census Bureau, County Business Patterns. Additional data analysis by CARES.
  - Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).
  - This indicator is relevant because it provides a measure of healthy food access and environmental influences on dietary behaviors.





Map Legend



### Fast Food Restaurants (Number of Fast Food Restaurants per 100,000 Population)



	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019
Total Service Area	61.9	64.0	66.8	67.7	69.5	70.9	74.6	79.9	84.8	84.8
FL	59.8	61.0	63.3	63.9	64.7	66.4	68.0	72.2	74.8	74.8
US	69.1	70.0	72.8	73.7	74.1	75.6	77.1	81.3	82.2	82.2

Sources:

- US Census Bureau, County Business Patterns. Additional data analysis by CARES.
- Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).
- This indicator is relevant because it provides a measure of healthy food access and environmental influences on dietary behaviors.



**Most Total Service Area children age 2-17 have had a “fast food” meal in the past week; in fact, 3 in 10 parents (30.4%) report that their child has had three or more meals from “fast food” restaurants in the past week.**


“In the past 7 days, how many meals would you say this child has eaten from ‘fast food’ restaurants? Please include breakfasts, lunches, and dinners.”

**BENCHMARK** ▶ Much higher than the US finding.

**TREND** ▶ Significantly higher than the 2013 benchmark.


**DISPARITY** ▶ Teens are more likely than younger children to eat fast food meals.

### Number of Fast Food Meals for Child in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 108]  
Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.


### Child Had Three or More Fast Food Meals in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 108]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
• \*2013 and 2016 results do not include responses from Polk County.



## Child Has Three or More Fast Food Meals in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 108]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

## Family Meals


**Fewer than one-half of Total Service Area parents (44.7%) report sharing meals as a family an average of at least once a day (seven or more times in the past week).**

**BENCHMARK** ▶ Much lower than the national percentage.

**DISPARITY** ▶ Parents of girls and teens are less likely to report sharing meals as a family.

"In the past 7 days, on how many days did all the family members who live in this household eat at least one meal together?"


## Number of Meals Eaten as a Family in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 109]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.




## Shared Seven or Meals as a Family in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 109]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.

## Shared Seven or Meals as a Family in the Past Week (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 109]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# PHYSICAL ACTIVITY

## Recommended Physical Activity

### CHILDREN: RECOMMENDED LEVELS OF PHYSICAL ACTIVITY

Children and adolescents should do 60 minutes (1 hour) or more of physical activity each day.

- 2013 Physical Activity Guidelines for Americans, US Department of Health and Human Services. [www.cdc.gov/physicalactivity](http://www.cdc.gov/physicalactivity)


**Among Total Service Area children age 2 to 17, 42.6% are reported to have had 60 minutes of physical activity on each of the seven days preceding the interview (1+ hours per day).**

**BENCHMARK** ▶ Satisfies the Healthy People 2030 objective.

**DISPARITY** ▶ Lowest in Orange County. Parents report less physical activity among girls and children in higher-income households. Also note the strong, negative correlation with age.

“The next questions are about physical activity. During the past 7 days, on how many days was the child physically active for a total of at least 60 minutes per day?”


Number of Days in the Past Week on Which Child Was Physically Active for One Hour or Longer  
(Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 107]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 2 and 17.




## Child Was Physically Active for One Hour or Longer on Every Day of the Past Week (Total Service Area Children Age 2-17, 2022) Healthy People 2030 Target = 30.4% or Higher



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 107]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Child Was Physically Active for One Hour or Longer on Every Day of the Past Week (Total Service Area Children Age 2-17, 2022) Healthy People 2030 Target = 30.4% or Higher



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 107]  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov> (adjusted to reflect all children and adolescents)  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 2 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Screen Time

## Total Screen Time

In all, 68.4% of Total Service Area school-age children are reported to spend three or more hours per day on screen time (whether television, cell phone, laptop, tablet, or computer).


**TREND** ▶ Represents a significant increase since the 2019 survey.

**DISPARITY** ▶ Lowest in Orange County. Screen time is much higher among adolescents than among younger children.


“On an average weekday, about how many hours or minutes does this child usually spend in front of a TV watching TV programs, videos, or playing video games?”

“Including computer video games, visiting social media sites, and surfing the internet for entertainment, about how many hours or minutes does this child use a cell phone, laptop, tablet, or computer for purposes other than schoolwork on an average weekday?”

**Children’s Screen Time**  
(Total Service Area Children Age 5-17, 2022)




**Hours per Day of TV/Videos or Video Games**



**Hours per Day on a Cell Phone, Laptop, Tablet, Computer**

Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 103, 307]  
Notes: • Asked of respondents for whom the randomly selected child in the household is age 5 to 17.  
• For this issue, respondents were asked about the average weekday.  
• \*Three or more hours\* includes reported screen time of 180 minutes or more per day.


**Children With Three or More Hours per Day of Total Screen Time (TV, Computer, Video Games, Phone, Device, etc.)**  
(Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 128]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of respondents for whom the randomly selected child in the household is age 5 to 17.  
• For this issue, respondents were asked about the average weekday.  
• \*Three or more hours\* includes reported screen time of 180 minutes or more per day.



## Children With Three or More Hours per Day of Total Screen Time (TV, Computer, Video Games, Phone, Device, etc.) (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 128]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • For this issue, respondents were asked about the average weekday.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.


## Electronic Media in Children's Bedrooms

**One-half (50.0%) of Total Service Area school-age children have a television in their bedrooms.**

**BENCHMARK** ▶ Much higher than the US percentage.

**DISPARITY** ▶ Highest in Brevard and Polk counties. Teens, children in very low-income households, Black children, and Hispanic children are more likely to have TVs in their bedrooms.


## Child Has a Television in Own Bedroom (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 104]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • \*2013 and 2016 results do not include responses from Polk County.



## Child Has a Television in Own Bedroom (Total Service Area Children Age 5-17, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 104]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

Similarly, 56.1% of Total Service Area school-age children have access to a computer or some type of electronic device in their bedrooms.

DISPARITY ► Girls and especially teens are more likely to have electronic devices in their bedrooms.


## Child Has a Computer or Device in Own Bedroom (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 106]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.



## Child Has a Computer or Device in Own Bedroom (Total Service Area Children Age 5-17, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 106]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

## Smartphones

Among parents of school-age children (age 5 to 17), more than one-half (55.7%) indicates that their child has his/her own smartphone on which they can download apps or games and visit social media sites.

DISPARITY ► Girls and especially teenagers are more likely to have their own smartphones.


## Child Has Own Smartphone (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 123]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.



## Child Has Own Smartphone (Total Service Area Children Age 5-17, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 123]
- Notes:
- Asked of all respondents for whom the randomly selected child in the household is age 5-17.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# WEIGHT STATUS

## Child Overweight & Obesity

### ABOUT WEIGHT STATUS IN CHILDREN & TEENS

Childhood obesity is associated with a higher chance of obesity, premature death and disability in adulthood. But in addition to increased future risks, obese children experience breathing difficulties, increased risk of fractures, hypertension, early markers of cardiovascular disease, insulin resistance and psychological effects.

- World Health Organization (<https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>)

In children and teens, body mass index (BMI) is used to assess weight status – underweight, healthy weight, overweight, or obese. After BMI is calculated for children and teens, the BMI number is plotted on the CDC BMI-for-age growth charts (for either girls or boys) to obtain a percentile ranking. Percentiles are the most commonly used indicator to assess the size and growth patterns of individual children in the United States. The percentile indicates the relative position of the child's BMI number among children of the same sex and age.

BMI-for-age weight status categories and the corresponding percentiles are shown below:

- Underweight <5<sup>th</sup> percentile
- Healthy Weight ≥5<sup>th</sup> and <85<sup>th</sup> percentile
- Overweight ≥85<sup>th</sup> and <95<sup>th</sup> percentile
- Obese ≥95<sup>th</sup> percentile

- Centers for Disease Control and Prevention


**Based on the heights/weights reported by surveyed parents, 35.6% of Total Service Area children age 5 to 17 are overweight or obese (≥85<sup>th</sup> percentile).**

**TREND** ► Denotes a significant increase over time.

**DISPARITY** ► More often reported among parents of children age 5 to 12, children in lower-income households, Black children, and Hispanic children.




## Child Is Overweight or Obese (Total Service Area Children Age 5-17 With a BMI in the 85<sup>th</sup> Percentile or Higher)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 130]  
 ● 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: ● Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 ● Overweight among children 5-17 is determined by child's Body Mass Index status at or above the 85<sup>th</sup> percentile of US growth charts by gender and age.  
 ● \*2013 and 2016 results do not include responses from Polk County.

## Child Is Overweight or Obese (Total Service Area Children Age 5-17 With a BMI in the 85<sup>th</sup> Percentile or Higher)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 130]

Notes: ● Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 ● Overweight among children is determined by children's Body Mass Index status equal to or above the 85<sup>th</sup> percentile of US growth charts by gender and age.  
 ● Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 ● Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




The childhood overweight prevalence above includes 20.3% of area children age 5 to 17 who are **obese** (≥95th percentile).

**BENCHMARK** ▶ Fails to satisfy the Healthy People 2030 objective.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ More often reported among parents of girls, children age 5 to 12, children in lower-income households, and Hispanic children.

### Child Obesity Prevalence (Total Service Area Children Age 5-17 with a BMI in the 95th Percentile or Higher) Healthy People 2030 Target = 15.5% or Lower



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 130]
  - 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
  - US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>
- Notes:
- Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
  - Obesity among children is determined by children's Body Mass Index status equal to or above the 95<sup>th</sup> percentile of US growth charts by gender and age.
  - \*2013 and 2016 results do not include responses from Polk County.

### Child Obesity Prevalence (Total Service Area Children Age 5-17 with a BMI in the 95th Percentile or Higher) Healthy People 2030 Target = 15.5% or Lower



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 130]
  - US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>
- Notes:
- Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
  - Overweight among children is determined by children's Body Mass Index status equal to or above the 85<sup>th</sup> percentile of US growth charts by gender and age.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Perceptions of Overweight

## Actual vs. Perceived Body Weight


Among parents of overweight/obese children age 5-17 (based on BMI), a large portion sees their child as being at “about the right weight.”

OVERWEIGHT (NOT OBESE) CHILDREN ▶ Only 32.3% of these parents perceive their child to be “somewhat overweight” or “very overweight.”

OBESE CHILDREN ▶ Only 10.2% of these parents perceive their child to be “very overweight.”

**Child’s Actual vs. Perceived Weight Status**  
(Total Service Area Children Age 5-17 Who Are Overweight/Obese Based on BMI, 2022)

- Among Children Overweight But Not Obese (Based on BMI 85th-94th Percentile)
- Among Obese Children (Based on BMI 95th Percentile)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 310]  
Notes: ● Asked of those respondents for whom the randomly selected child at home is age 5 to 17.  
● Overweight in children is defined as a Body Mass Index (BMI) value at or above the 85<sup>th</sup> percentile of US growth charts by gender and age; obesity in children is defined as a BMI value at or above the 95<sup>th</sup> percentile.


## Notification of Overweight Status

A total of 30.5% parents with overweight or obese children have been told in the past year by a school or health professional that their child is overweight.

BENCHMARK ▶ Higher than the US finding.



## Parent Has Been Told in the Past Year by a School or Health Professional That Their Child Is Overweight (Total Service Area Children Age 5-17 Who Are Overweight/Obese Based on BMI, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 311]  
 Notes: • Asked of those respondents for whom the randomly selected child at home is age 5 to 17.  
 • Overweight in children is defined as a Body Mass Index (BMI) value at or above the 85<sup>th</sup> percentile of US growth charts by gender and age; obesity in children is defined as a BMI value at or above the 95<sup>th</sup> percentile.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Key Informant Input: Nutrition, Physical Activity & Weight

The greatest share of key informants taking part in an online survey characterized **Nutrition, Physical Activity & Weight** as a “major problem” for children/adolescents in the community.

### Perceptions of Nutrition, Physical Activity & Weight as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: • PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Obesity

There is a growing epidemic of pediatric obesity. – Physician

A significant percentage of children in Polk are overweight or obese, as well as adults. Weight increases with age. Data from school health BMI screenings is alarming. – Public Health Representative

BMI, children who are overweight and obese continues to increase in our community. – Other Health Provider



We have increasing rates of overweight and obesity, and can use nutrition, physical activity, and weight reduction strategies to address it. In particular, families experiencing food insecurity are disproportionately affected due to lack of access to healthy affordable foods. – Social Services Provider

Our community has a high rate of obesity. This is likely caused by poor nutrition and low physical activity. Obesity leads to chronic illness. – Social Services Provider

The mean BMI has been rising in the United States for several years, with no sustained decrease. – Social Services Provider

Mandatory screenings show a large volume of students with BMIs that are indicating overweight and obese. A large portion of this is due to culture and types of food that children eat at home. – Public Health Representative

## Awareness/Education

Lack of education and services to promote healthy lifestyles. And difficulty accessing the services available. Neighborhoods with many low-income residents often have fewer resources that promote health, such as full-service grocery stores offering affordable and nutritious foods, parks and recreational facilities that encourage physical activity and have more environmental threats that harm health. – Community/Business Leader

Poor education. – Physician

Not enough resources exist to provide nutrition education. – Social Services Provider

## Prevalence/Incidence

Again, the media and health community has made us aware, but just look around and you see young kids that are big. They are on their way to chronic disease and are being shunned by other children and families. Pay me now or pay me later. Good habits start young. – Community/Business Leader

Obesity is a top issue on the last two CHNAs. – Community/Business Leader

Feedback from school personnel and parents. – Community/Business Leader

## Lifestyle

Children aren't getting enough exercise and don't either have access to healthy food or can't afford it. – Community/Business Leader

Inactivity, poor dietary habits, communities not safe in areas where health equity is an issue. – Public Health Representative

Too much screen time and less time outdoors. Eating less healthy snacks and more quick fast food. – Social Services Provider

## Multiple Factors

Children eat a lot of fast food. Few families sit down for a home-cooked meal. Convenience food is not always the healthiest. Fruits and vegetables are not eaten in the quantities needed. Fresh fruit and vegetables are costly, and some families cannot afford them. Children do not get the physical activity that they need. They ride buses to school or travel by car. Many neighborhoods are not safe for kids to go out and "play." PE classes are required to be offered for 150 minutes per week for elementary students. However, this is not actual time engaged in physical activity. Many kids get little to no exercise outside of the home. In middle school, students are only required to take PE for one semester per year; however, they can waive that requirement if they wish to enroll in another course, such as band or art. At the high school level, 1 credit of PE is required for graduation. Students can waive the requirement if they play two full seasons of a sport. – Community/Business Leader

Unhealthy food options, price of fruits and vegetables, parent nutrition education, availability of healthy food, marketing. Too many sedentary activities and screen time, undiagnosed endocrine & other medical problems, sedentary lifestyle, food options available/chosen – Community/Business Leader

## Nutrition

Poor nutrition and lack of physical activity continue to lead to chronic disease and affect general well-being, response to illness infections, etc. In some communities, access to healthy food and safe exercise spaces continues to be a challenge. – Public Health Representative

We have problems with food insecurity and obesity among our children. – Public Health Representative

## Access to Affordable Healthy Food

Challenges accessing healthy foods and outdoor activities impacts the outcomes of children and youth's physical and intellectual development. The percentage of kids developing chronic conditions increases when not able to access these resources. – Community/Business Leader

## Co-Occurrences

Juvenile diabetes. – Social Services Provider



## Insufficient Physical Activity

Not enough physical activity outside of school hours. – Community/Business Leader

## Screen Time

Screen time in youth. They spend too much time online, and this affects their cognitive and social development. – Community/Business Leader

## Built Environment

Again, the very large cohort of children and adolescents I have referred to in all my preceding responses have fewer opportunities to access adequate health foods on a regular basis, to play freely outdoors because of unsafe neighborhoods, and so are often an unhealthy weight. For the 1 in 5 children living in food-insecure homes and recognizing the close correlation between food insecurity and poverty, attention/access and affordability of healthy behavior and lifestyle activities and outcomes are not realistically available – Social Services Provider

## Due to COVID-19

This is a problem because in this present time, children are not getting enough physical activities due to the pandemic, due to video games, social media, and not enough healthy foods in the home. Some of these children are considered latchkey children; therefore, they do not have the means to eat healthy food due to being home alone because their parents may be working – Public Health Representative




# TOBACCO, ALCOHOL & OTHER DRUGS

## Exposure to Environmental Tobacco Smoke

A total of 7.4% of Total Service Area parents report that someone in the household smokes inside the home.


**DISPARITY** ► Exposure is higher among girls, children age 0 to 4 (when compared to children age 5 to 12), and children in very low-income households.

Someone Smokes Tobacco Inside the Home  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 102]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
 Notes: • Asked of all respondents.

Someone Smokes Tobacco Inside the Home  
(Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 102]  
 Notes: • Asked of all respondents.  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



A higher percentage of Total Service Area parents (12.8%) report that someone in the household vapes or smokes e-cigarettes inside or outside the home.


DISPARITY ► Highest in Brevard and Seminole counties. Exposure is higher among children age 0 to 4 and among White children.

### Member of Household Smokes E-Cigarettes Inside or Outside the Home (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 306]  
Notes: • Asked of all respondents.

### Member of Household Smokes E-Cigarettes Inside or Outside the Home (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 306]  
Notes: • Asked of all respondents.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




# Current Tobacco Use (Adolescents)

Among high school students in Orange County, 3.1% report smoking at least one cigarette on at least one day during the 30 days preceding the administration of the 2019 Youth Risk Behavior Survey.

**BENCHMARK** ▶ More favorable than found across the state and nation. Satisfies the Healthy People 2030 objective.


**DISPARITY** ▶ Those more likely to report smoking cigarettes include 12<sup>th</sup> graders, White students, and Hispanic students.

## Smoked Cigarettes in Past Month (Among High School Students; Youth Risk Behavior Surveys, 2019) Healthy People 2030 Target = 3.4% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
Notes: • Smoked cigarettes on at least 1 day during the 30 days before the survey.

## Smoked Cigarettes in Past Month (Among High School Students; Youth Risk Behavior Surveys, 2019) Healthy People 2030 Target = 3.4% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>  
Notes: • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Smoked cigarettes on at least 1 day during the 30 days before the survey.

This indicator is derived from the CDC's Youth Risk Behavior Survey (YRBS), a school-based survey administered to high school students by county. Note that these data are available only for Orange County.

For more information, visit: [www.cdc.gov/healthyyouth/yrbs](http://www.cdc.gov/healthyyouth/yrbs).



# Alcohol Use (Adolescents)


## Current Alcohol Use

Among high school students in Orange County, 23.3% report having at least one drink of alcohol on at least one day during the 30 days preceding the administration of the 2019 Youth Risk Behavior Survey.

**BENCHMARK** ▶ Lower than the statewide and national percentages, although far from satisfying the Healthy People 2030 objective.

**DISPARITY** ▶ More often reported among female students, 12<sup>th</sup> graders, and White students.


**Drank Alcohol in Past Month**  
(Among High School Students; Youth Risk Behavior Surveys, 2019)  
Healthy People 2030 Target = 6.3% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Had at least one drink of alcohol on at least one day during the 30 days before the survey.

**Drank Alcohol in Past Month**  
(Among High School Students; Youth Risk Behavior Survey, 2019)  
Healthy People 2030 Target = 6.3% or Lower



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
• US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Had at least one drink of alcohol on at least one day during the 30 days before the survey.

This indicator is derived from the CDC's Youth Risk Behavior Survey (YRBS), a school-based survey administered to high school students by county. Note that these data are available only for Orange County.

For more information, visit: [www.cdc.gov/healthyyouth/yrbs](http://www.cdc.gov/healthyyouth/yrbs).




# Drug Use (Adolescents)

## Lifetime Use of Drugs

Orange County high school students most often report ever having used/tried marijuana (32.3% have ever used) and prescription drugs (16.1% have ever used drugs not prescribed to them).

**BENCHMARK** ▶ With the exception of inhalants, utilization of all drugs shown in the chart below was significantly higher in Orange County than across the US.

**Ever Used Specific Drugs**  
(Among High School Students; Youth Risk Behavior Surveys, 2019)



- Sources:**
- Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.
- Notes:**
- Prescription drugs include drugs such as Oxycontin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax.
  - Inhalants include sniffing glue, breathing the contents of aerosol spray cans, or inhaling any paints or sprays to get high.
  - Ecstasy is also called "MDMA."
  - Cocaine includes powder, crack or freebase forms of cocaine.
  - Methamphetamine is also called "speed," "crystal meth," "meth," "crank," or "ice."
  - Heroin also called "smack," "junk," or "China White."

## Current Marijuana Use

A total of 16.5% of Orange County high school students report having used marijuana one or more times during the 30 days preceding the administration of the 2019 Youth Risk Behavior Survey.


**BENCHMARK** ▶ More favorable than statewide and national percentages, but fails to satisfy the Healthy People objective.

**DISPARITY** ▶ More often reported among 12<sup>th</sup> graders and White students.

These indicators are derived from the CDC's Youth Risk Behavior Survey (YRBS), a school-based survey administered to high school students by county. Note that these data are available only for Orange County. For more information, visit: [www.cdc.gov/healthyyouth/yrebs](http://www.cdc.gov/healthyyouth/yrebs).



## Used Marijuana in Past Month (Among High School Students; Youth Risk Behavior Surveys, 2019) Healthy People 2030 Target = 5.8% or Lower




Sources: 

- Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.
- US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: 

- Used marijuana one or more times during the 30 days before the survey.

## Used Marijuana in Past Month (Among High School Students; Youth Risk Behavior Survey, 2019) Healthy People 2030 Target = 5.8% or Lower



Sources: 

- Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.
- US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: 


- Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
- Used marijuana one or more times during the 30 days before the survey.



# Key Informant Input: Tobacco, Alcohol & Other Drugs

The greatest share of key informants taking part in an online survey characterized *Tobacco, Alcohol & Other Drugs* as a “moderate problem” for children/adolescents in the community.

## Perceptions of Tobacco, Alcohol & Other Drugs as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

### Easy Access

Availability and access. – Public Health Representative

Drugs, including tobacco and alcohol, are unfortunately easily available to children and adolescents. Parents are the strongest influence that children have, so having access to programs for parents has proven to improve the chances of kids and adolescents following this behavior. Prevention that delays early substance use may have early life span effects, as well as transgenerational implications – Community/Business Leader

The continued availability of drugs and alcohol remains a difficult challenge to kids' health and wellness. I'm concerned that this ubiquitous negative element in our community, along with the easy availability of guns, will remain a problem. It's disappointing that we, as a society, have not adequately prevented either availability or access. Interesting that we can't get healthy foods to folks, but drugs, alcohol, and guns seem to be easily available. Hope I can find some support for my perspective! – Social Services Provider

This is a problem because it is easily accessible for older children, as well as peer pressure. – Public Health Representative

### Teen/Young Adult Usage

Exposure to drugs and alcohol at a young age is dangerous and unhealthy. – Social Services Provider

More and more kids are being exposed to alcohol and drugs at earlier ages. – Other Health Provider

### Vaping

Vaping. – Social Services Provider

Vaping. I see children vaping in the community and I am not sure they understand the consequences of their actions. – Other Health Provider

### Prevalence/Incidence

Drug problem all over, following parental behaviors, stressors. – Public Health Representative

### Parental Influence

Children see a negative example from parents who use drugs/alcohol, there are many opioid overdoses occurring, there is a negative influence through social media. Because they suffer from mental health issues, they may be more likely to alleviate their feelings/pain by the use and abuse of substances. – Public Health Representative



## Most Problematic Substances

Key informants (who rated this as a “major problem”) most often identified **alcohol** as causing the most problems in the community, followed by **marijuana** and **tobacco/vaping products**.

SUBSTANCES VIEWED AS MOST PROBLEMATIC IN THE COMMUNITY (Among Key Informants Rating Substance Abuse as a “Major Problem”)	
ALCOHOL	34.6%
MARIJUANA	15.4%
TOBACCO/VAPING PRODUCTS	15.4%
HEROIN OR OTHER OPIOIDS	11.5%
METHAMPHETAMINE OR OTHER AMPHETAMINES	7.7%
CLUB DRUGS (e.g. MDMA, GHB, Ecstasy, Molly)	0.4%
HALLUCINOGENS OR DISSOCIATIVE DRUGS (e.g. Ketamine, PCP, LSD, DXM)	0.4%
PRESCRIPTION MEDICATIONS	0.4%
HALLUCINOGENS OR DISSOCIATIVE DRUGS (e.g. Ketamine, PCP, LSD, DXM)	0.4%
PRESCRIPTION MEDICATIONS	0.4%
SYNTHETIC DRUGS (e.g. Bath Salts, K2/Spice)	0.4%



# INJURY & SAFETY

## Prevalence of Serious Injuries

While most Total Service Area children were not injured seriously within the past year, 13.9% sustained injuries serious enough to require medical treatment.


**BENCHMARK** ▶ Less favorable than the US finding.

**DISPARITY** ▶ Highest in Seminole County. Serious injuries are more prevalent among adolescents.

Parents of **children 1 year or older** were asked if their child had been injured *within the past year*.


Parents of **children younger than 1 year** were asked if their child *ever* had been injured.

### Child Was Injured Seriously Enough to Need Medical Treatment in the Past Year (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 69-70]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Was Injured Seriously Enough to Need Medical Treatment in the Past Year (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 69]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



When asked what the child was doing when the injury occurred, parents of these children most often mentioned activities like **playing** and **sports (unorganized and organized)**. Another common contributor was **falling or tripping**.


### Child's Activity When Most Seriously Injured in Past Year (Total Service Area Children Seriously Injured in the Past Year, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 71]  
Notes: • Asked of all respondents for whom the randomly selected child in the household was seriously injured in the past year.

When asked about the type of injury sustained, these parents frequently mentioned **broken bones, sprains,** and **head injuries**. Injuries mentioned with less frequency included **knee injuries,** injuries requiring **stitches, back injuries, muscle injuries,** and **deep puncture wounds**.

### Type of Injury Sustained (Total Service Area Children Seriously Injured in the Past Year, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 72]  
Notes: • Asked of all respondents for whom the randomly selected child in the household was seriously injured in the past year.



# Violence & Safety

## ABOUT VIOLENCE & SAFETY

Most violence against children involves at least one of six main types of interpersonal violence that tend to occur at different stages in a child's development.

- **Maltreatment** (including violent punishment) involves physical, sexual and psychological/emotional violence; and neglect of infants, children and adolescents by parents, caregivers and other authority figures, most often in the home but also in settings such as schools and orphanages.
- **Bullying** (including cyber-bullying) is unwanted aggressive behavior by another child or group of children who are neither siblings nor in a romantic relationship with the victim. It involves repeated physical, psychological or social harm, and often takes place in schools and other settings where children gather, and online.
- **Youth violence** is concentrated among children and young adults aged 10–29 years, occurs most often in community settings between acquaintances and strangers, includes bullying and physical assault with or without weapons (such as guns and knives), and may involve gang violence.
- **Intimate partner violence** (or domestic violence) involves physical, sexual and emotional violence by an intimate partner or ex-partner. Although males can also be victims, intimate partner violence disproportionately affects females. It commonly occurs against girls within child marriages and early/forced marriages. Among romantically involved but unmarried adolescents it is sometimes called “dating violence”.
- **Sexual violence** includes non-consensual completed or attempted sexual contact and acts of a sexual nature not involving contact (such as voyeurism or sexual harassment); acts of sexual trafficking committed against someone who is unable to consent or refuse; and online exploitation.
- **Emotional or psychological violence** includes restricting a child's movements, denigration, ridicule, threats and intimidation, discrimination, rejection and other non-physical forms of hostile treatment.

When directed against girls or boys because of their biological sex or gender identity, any of these types of violence can also constitute gender-based violence.

Violence against children has lifelong impacts on health and well-being of children, families, communities, and nations. Violence against children can:

- Result in death
- Lead to severe injuries
- Impair brain and nervous system development
- Result in negative coping and health risk behaviors
- Lead to unintended pregnancies, induced abortions, gynecological problems, and sexually transmitted infections, including HIV
- Contribute to a wide range of non-communicable diseases as children grow older (e.g., cardiovascular disease, cancer, diabetes) due to the negative coping and health risk behaviors associated with violence
- Impact opportunities and future generations

Violence against children can be prevented. Preventing and responding to violence against children requires that efforts systematically address risk and protective factors at all four interrelated levels of risk (individual, relationship, community, society).

- World Health Organization (<https://www.who.int/news-room/fact-sheets/detail/violence-against-children>)




## Neighborhood Safety

While most Total Service Area families live in “extremely safe” or “quite safe” neighborhoods, 14.7% of parents live in neighborhoods they consider only “slightly safe” or “not at all safe.”


DISPARITY ► Most favorable in Seminole County. Demographically, least favorable among parents of Black and Hispanic children and especially those in very low-income households.

Perceived Safety of Neighborhood  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 76]  
Notes: • Asked of all respondents.

Neighborhood Perceived to be “Slightly/Not At All” Safe  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 76]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents.  
• \*2016 results do not include responses from Polk County.



## Neighborhood Perceived to be “Slightly/Not At All” Safe (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 76]  
 Notes: • Asked of all respondents.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
 • Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.


## Feeling Safe at School or Going to/From School

**A total of 17.4% of Total Service Area children age 5-17 missed school at least once in the past year because the child felt unsafe either at school or on the way to/from school.**

- BENCHMARK** ▶ More than twice the US percentage.
- TREND** ▶ Significantly higher than the 2016 baseline.
- DISPARITY** ▶ More often reported among parents of children in very low-income households.

“During the past year, how many days did this child not go to school because he/she felt unsafe at school or on the way to or from school?”


## School Days Missed in the Past Year Because Child Felt Unsafe at School or on the Way to/From School (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 73]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.




## Child Missed School in the Past Year Due to Feeling Unsafe (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 73]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.  
 • \*2016 results do not include responses from Polk County.

## Child Missed School in the Past Year Due to Feeling Unsafe (Total Service Area Children Age 5-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 73]  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Bullying


Among parents of school-age children (age 5-17), 23.5% report that their child has been bullied in the past year on school property.

**BENCHMARK** ▶ Less favorable than the US percentage.

**TREND** ▶ Marks a significant increase over time.


**DISPARITY** ▶ More often reported by parents of girls.

### Child Was Bullied on School Property in the Past Year (Total Service Area Children Age 5-17, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 74]
  - 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes:
- Asked of all respondents for whom the randomly selected child in the household is age 5-17.
  - \*2016 results do not include responses from Polk County.

### Child Was Bullied on School Property in the Past Year (Total Service Area Children Age 5-17, 2022)



- Sources:
- 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 74]
- Notes:
- Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.
  - Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).
  - Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



Cyberbullying includes electronic bullying, such as through email, chat rooms, instant messaging, websites, or texting.

NOTE: It is important to recognize that these measures are reported by parents and are limited to incidents of which parents are aware; it is reasonable to presume that the true incidence for these measures is potentially quite a bit higher.

**A total of 12.5% report that their child age 5-17 has been cyberbullied.**


**BENCHMARK** ▶ Much higher than the US finding.

**TREND** ▶ Marks a significant increase over time.

**DISPARITY** ▶ Lowest in Osceola County. [More](#) often affects girls and teenagers.


### Child Was Cyberbullied in the Past Year (Total Service Area Children Age 5-17, 2022)

Total Service Area



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 75]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents for whom the randomly selected child in the household is age 5-17.  
 • Cyberbullying includes electronic bullying such as through email, chat rooms, instant messaging, websites, or texting.  
 • \*2016 results do not include responses from Polk County.

### Child Was Cyberbullied in the Past Year (Total Service Area Children Age 5-17, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 75]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is between the ages of 5 and 17.  
 • Cyberbullying includes electronic bullying such as through email, chat rooms, instant messaging, websites, or texting.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Injury & Violence

Key informants taking part in an online survey most often characterized *Injury & Violence* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Injury & Violence as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Prevalence/Incidence

It seems that children are affected by so many things. Injuries, such as drowning, abuse and violence at home, neighborhoods and schools. Children are affected by injuries and violence and sometimes are the ones committing the violence. – Public Health Representative

Unintentional injuries are one of the leading causes of death to children in the community. Orange County also has a high rate of abuse and neglect in the Central Florida community and state. – Other Health Provider

#### Access to Care/Services

There are always concerns about injuries at home, at school, or anywhere else. There are not enough resources available to children for them to recognize the signs of mental, emotional, or physical violence. – Community/Business Leader

#### Gun Violence

Children and adolescents continue to have access to firearms. Poor family connections, behavioral issues, and poor support for life skills, plus the availability of firearms have contributed to incidents of violence in among youth and in schools. – Public Health Representative

#### Income/Poverty

Kids living in poverty are often exposed to very violent environments with no interventions other than arrests of people they love or live with. – Other Health Provider



# SEXUAL HEALTH

## ABOUT HIV & SEXUALLY TRANSMITTED INFECTIONS

Although many sexually transmitted infections (STIs) are preventable, there are more than 20 million estimated new cases in the United States each year — and rates are increasing. In addition, more than 1.2 million people in the United States are living with HIV (human immunodeficiency virus).

Adolescents, young adults, and men who have sex with men are at higher risk of getting STIs. And people who have an STI may be at higher risk of getting HIV. Promoting behaviors like condom use can help prevent STIs.

Strategies to increase screening and testing for STIs can assess people's risk of getting an STI and help people with STIs get treatment, improving their health and making it less likely that STIs will spread to others. Getting treated for an STI other than HIV can help prevent complications from the STI but doesn't prevent HIV from spreading.

– Healthy People 2030 (<https://health.gov/healthypeople>)

## Chlamydia & Gonorrhea

**In 2018, there were 557.3 diagnosed chlamydia infections per 100,000 population in the Total Service Area. *Note that this rate includes diagnoses in all ages (both children and adults).***

**BENCHMARK** ▶ Worse than the statewide rate.

**DISPARITY** ▶ Highest in Orange and Polk counties.


**In 2018, there were 154.4 diagnosed gonorrhea infections per 100,000 population in the Total Service Area. *Note that this rate includes diagnoses in all ages (both children and adults).***

**BENCHMARK** ▶ More favorable than the national rate.

**DISPARITY** ▶ Highest in Orange and Seminole counties.



## Chlamydia & Gonorrhea Incidence (Incidence Rate per 100,000 Population, 2018)



Sources: • Centers for Disease Control and Prevention, National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention.  
 • Center for Applied Research and Engagement Systems (CARES), University of Missouri Extension. Retrieved May 2022 via SparkMap (sparkmap.org).  
 Notes: • This indicator is relevant because it is a measure of poor health status and indicates the prevalence of unsafe sex practices.

## Sexual Activity Among Adolescents


### Recent Sexual Activity

Among Orange County high school students, 21.4% report having had sexual intercourse with at least one person during the three months preceding the administration of the 2019 Youth Risk Behavior Survey.

**BENCHMARK** ▶ Lower than statewide and national findings.

**DISPARITY** ▶ More often reported among 11<sup>th</sup> graders and especially 12<sup>th</sup> graders.

### Had Sexual Intercourse in Past Three Months (Among High School Students; Youth Risk Behavior Surveys, 2019)




Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
 Notes: • Have had sexual intercourse with at least one person during the three months before the survey.

These indicators are derived from the CDC's Youth Risk Behavior Survey (YRBS), a school-based survey administered to high school students by county. Note that these data are available only for Orange County.

For more information, visit: [www.cdc.gov/healthyyouth/yrbs](http://www.cdc.gov/healthyyouth/yrbs).



## Had Sexual Intercourse in Past Three Months (Among High School Students; Youth Risk Behavior Survey, 2019)



Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
 Notes: • Have had sexual intercourse with at least one person during the three months before the survey.


### Risky Sexual Behaviors

Among Orange County high school students who are sexually active, 40.3% report not using a condom during their last sexual intercourse, and 18.1% report not using any method to prevent pregnancy.

**BENCHMARK** ▶ While condom use in Orange County high schoolers is more favorable than the US finding, use of any birth control is less favorable than both state and US findings.

### Risky Sexual Behavior (Among Sexually Active High School Students; Youth Risk Behavior Surveys, 2019)

■ Orange County ■ FL ■ US




Sources: • Centers for Disease Control and Prevention (CDC). 2019 High School Youth Risk Behavior Survey Data. Available at <http://nccd.cdc.gov/youthonline/>. Accessed May 2022.  
 Notes: • Among high school students who have had sexual intercourse with at least one person during the three months before the survey.  
 • "Any method" includes condoms, birth control pills or Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), OrthoEvra (or any patch), or any IUD before last sexual intercourse.



## Key Informant Input: Sexual Health

The largest share of key informants taking part in an online survey characterized *Sexual Health* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Sexual Health as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Prevalence/Incidence

■ Number of STD cases. Teen pregnancy. – Social Services Provider





# ACCESS TO HEALTH CARE


# HEALTH INSURANCE COVERAGE

## Type of Health Care Coverage

Survey respondents were asked a series of questions to determine their child's healthcare insurance coverage, if any, from either private or government-sponsored sources.

In all, 40.7% of parents report having healthcare coverage for their child through private insurance. Another 53.5% report coverage through a government-sponsored program (e.g., Medicaid, Medicare, state-sponsored CHIP, military benefits).

Healthcare Insurance Coverage for Child  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 133]  
Notes: • Asked of all respondents.

## Lack of Health Insurance Coverage

### Prevalence of Uninsured Children/Adolescents


On the other hand, 5.8% of Total Service Area parents report having no insurance coverage for their child's healthcare expenses, through either private or public sources.

DISPARITY ► Lack of insurance is higher among White children than Hispanic children.




## Lack Healthcare Insurance Coverage for Child (Total Service Area, 2022)

Total Service Area



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 133]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Lack Healthcare Insurance Coverage for Child (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 133]  
 Notes: • Asked of all respondents.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Recent Lack of Coverage

Overall, 11.3% of surveyed parents report that their child was without healthcare coverage at some point in the past year.

DISPARITY ► More often reported among parents of Hispanic children than Black children.


### Child Has Been Without Coverage at Some Point (Total Service Area Children 0-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 101]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: • Asked of all respondents with children under 18 at home.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Has Been Without Coverage at Some Point (Total Service Area Children 0-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 101]  
 Notes: • Asked of all respondents with children under 18 at home.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# DIFFICULTIES ACCESSING HEALTH CARE


## Difficulties Accessing Services

This indicator reflects the percentage of parents experiencing problems accessing healthcare for their child in the past year, regardless of whether they needed or sought care.

**A total of 54.8% of Total Service Area parents report some type of difficulty or delay in obtaining healthcare services for their child in the past year.**


- BENCHMARK** ▶ Considerably higher than the national percentage.
- TREND** ▶ Marks a dramatic increase from previous surveys.
- DISPARITY** ▶ More prevalent among children in very low-income households.

**Experienced Difficulties or Delays of Some Kind in Receiving Child's Needed Healthcare in the Past Year (Total Service Area, 2022)**



- Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 141]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.
- Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Represents the percentage of respondents experiencing one or more barriers to accessing their child's healthcare in the past 12 months.  
 • \*2013 and 2016 results do not include responses from Polk County.

**Experienced Difficulties or Delays of Some Kind in Receiving Child's Needed Healthcare in the Past Year (Total Service Area, 2022)**



- Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 141]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Represents the percentage of respondents experiencing one or more barriers to accessing their child's healthcare in the past 12 months.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Barriers to Health Care Access

Of the tested access barriers, difficulty getting a doctor's appointment impacted the greatest share of Total Service Area children (34.5% of parents say that lack of appointment availability prevented them from obtaining a visit to a physician for their child in the past year).

Inconvenient office hours affected 27.1% of families, and the inability to find a doctor affected 26.3%.


**BENCHMARK** ▶ All tested barriers were less favorable than the corresponding US benchmark.

**TREND** ▶ All tested barriers have increased significantly over time.

**DISPARITY** ▶ Difficulty finding a physician most often affected children in Brevard County, while language/cultural differences most often affected children in Orange County.


To better understand healthcare access barriers, survey participants were asked whether any of seven types of barriers to access prevented their child from seeing a physician or obtaining a needed prescription in the past year. Again, these percentages reflect all children, regardless of whether medical care was needed or sought.

## Barriers to Access Have Prevented Child's Medical Care in the Past Year (Total Service Area, 2022)



Sources: ● PRC Child & Adolescent Health Surveys, Professional Research Consultants, Inc. [Items 17-23]  
 ● 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: ● Asked of all respondents about a randomly selected child in the household.  
 ● \*2013 and 2016 results do not include responses from Polk County.

## Barriers to Access Have Prevented Child's Medical Care in the Past Year (By County, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 17-23]  
 Notes: ● Asked of all respondents about a randomly selected child in the household.



# Access to Specialty Care

## Need for Specialty Care


More than one-half (51.8%) of Total Service Area children are reported to have needed to see a specialist at some point in the past year.

**BENCHMARK** ▶ Considerably higher than the national finding.

**TREND** ▶ Represents a dramatic increase over time.


**DISPARITY** ▶ More often reported among parents of adolescents than children age 0 to 4.

### Child Needed a Specialist in the Past Year (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 28]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Needed a Specialist in the Past Year (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 28]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Difficulty Accessing Specialty Care


Parents of children needing specialty medical care in the past year were further asked to evaluate the difficulty of getting the needed care. Nearly three-fourths (72.4%) expressed some level of difficulty, characterizing it as a “major,” “moderate,” or a “minor problem.”

**BENCHMARK** ▶ “Major/moderate problem” responses in the Total Service Area are higher than found across the US.

**TREND** ▶ Since 2013, “major/moderate problem” ratings have increased significantly.

**DISPARITY** ▶ “Major/moderate problem” responses are lower in Polk County (not shown).

**Evaluation of Difficulty Getting  
Specialty Care for Child in the Past Year**  
(Total Service Area Parents of Children Needing to See a Specialist in the Past Year, 2022)



Source: 

- PRC Child & Adolescent Health Surveys, Professional Research Consultants, Inc. [Item 29]
- 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: 

- Asked of respondents for whom the randomly selected child in the household has needed to see a specialist in the past year.
- \*2013 and 2016 results do not include responses from Polk County.

## Outmigration for Children’s Healthcare

A total of 37.7% of Total Service Area parents report that they feel the need to leave their local areas in order to obtain certain children’s healthcare services.

**BENCHMARK** ▶ Higher than found nationwide.


**TREND** ▶ Marks a dramatic increase since the 2013 survey.

**DISPARITY** ▶ Highest in Brevard and Polk counties.




## Feel the Need to Leave the Area for Children's Healthcare Services (Total Service Area, 2022)

- Reasons:**
- Not available locally (38.7%)
  - Better care elsewhere (29.4%)
  - Cost/insurance (5.2%)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 9-11]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Feel the Need to Leave the Area for Children's Healthcare Services (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 9]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Key Informant Input: Access to Healthcare

Key informants taking part in an online survey most often characterized *Access to Health Services* as a “moderate problem” for children/adolescents in the community.

## Perceptions of Access to Health Services as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: • PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

### Access to Care/Services

Challenges for our families to receive health services are some of the following: transportation issues; insurance issues; understanding of how important regular well-child checks, immunizations, and dental checkups are. – Social Services Provider

Access to services that are affordable and that offer comprehensive, developmentally appropriate services. Education regarding the need for mental health support and non-pharmacological options for supporting mental health. – Other Health Provider

No insurance coverage, no services right near home, lack of cultural and linguistic affirmation, lack of disability justice. – Community/Business Leader

Transportation, knowing which services providers are available and where, connecting with human beings that can answer questions. – Public Health Representative

The access to health care via a parental figure. There are always issues with insurance and access to health care necessities. – Community/Business Leader

Availability for appointments. – Community/Business Leader

### Awareness/Education

Educating families as to the services available. Transportation. – Community/Business Leader

The biggest challenges related to accessing health services for children and adolescents in our community is lack of awareness, for parents/guardians on how and where to start the navigation process for services.

Secondarily, for families without access to health insurance, options for physical and behavioral care is nearly nonexistent. – Other Health Provider

Lack of education for parents to seek out medical support in pretty much every area. – Social Services Provider

### Immigrant Populations

The biggest challenge is for clients to arrive in the United States from other countries and have no insurance, and to locate providers who provide services at low cost. – Public Health Representative

Access to health services is an issue in Orange County as we continuously receive immigrants and families from other states looking to relocate to Florida. The exponential growth that the population has experienced in the last five years has posed a challenge in the system to increase its capacity to adapt to the larger population in need of health services. – Community/Business Leader

### Access to Care for Uninsured/Underinsured

Lack of insurance and being able to get to health care. – Community/Business Leader



## Type of Care Most Difficult to Access

Key informants (who rated this as a “major problem”) most often identified **mental health care for children/ youth** as the most difficult to access in the community.

CHILDREN’S MEDICAL CARE MOST DIFFICULT TO ACCESS LOCALLY (Among Key Informants Rating Access to Healthcare as a “Major Problem”)				
	Most Difficult to Access	Second-Most Difficult to Access	Third-Most Difficult to Access	Total Mentions
Mental Health Care	30.8%	38.5%	15.4%	<b>11</b>
Chronic Disease Care	38.5%	0.0%	30.8%	<b>9</b>
Specialty Care	23.1%	7.7%	15.4%	<b>6</b>
Dental Care	7.7%	15.4%	7.7%	<b>4</b>
Primary Care	0.0%	15.4%	7.7%	<b>3</b>
Substance Abuse Treatment	0.0%	15.4%	7.7%	<b>3</b>
Prenatal Care	0.0%	7.7%	7.7%	<b>2</b>
Urgent Care	0.0%	0.0%	7.7%	<b>1</b>



# PRIMARY CARE SERVICES

## ABOUT PREVENTIVE CARE

Getting preventive care reduces the risk for diseases, disabilities, and death — yet millions of people in the United States don't get recommended preventive health care services.

Children need regular well-child and dental visits to track their development and find health problems early, when they're usually easier to treat. Services like screenings, dental check-ups, and vaccinations are key to keeping people of all ages healthy. But for a variety of reasons, many people don't get the preventive care they need. Barriers include cost, not having a primary care provider, living too far from providers, and lack of awareness about recommended preventive services.

Teaching people about the importance of preventive care is key to making sure more people get recommended services. Law and policy changes can also help more people access these critical services.

– Healthy People 2030 (<https://health.gov/healthypeople>)

## Routine Medical Care

### Specific Source of Ongoing Care


**A total of 76.9% of Total Service Area children were determined to have a specific source of ongoing medical care, such as a specific doctor's office or clinic they regularly use.**

**BENCHMARK** ▶ Less favorable than the US finding.

**TREND** ▶ Marks a significant decrease over time.

**DISPARITY** ▶ Children age 0 to 4, children in very low-income households, Black children, and Hispanic children are less likely to have a regular source of care.

Child Has a Specific Source of Ongoing Medical Care




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 138]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.

Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Having a specific source of ongoing care for a child includes having a doctor's office, clinic, urgent care center, health department clinic, or some other kind of place to go if the child is sick or needs advice about his or her health. A hospital emergency room is not considered a specific source of ongoing care in this instance.  
 • \*2013 and 2016 results do not include responses from Polk County.

Having a specific source of ongoing care includes having a doctor's office, clinic, urgent care center, walk-in clinic, health center facility, hospital outpatient clinic, HMO or prepaid group, military/VA clinic, or some other kind of place to go if the child is sick or needs advice about his or her health. This resource is crucial to the concept of "patient-centered medical homes" (PCMH).



## Child Has a Specific Source of Ongoing Medical Care (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 138]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Having a specific source of ongoing care for a child includes having a doctor's office, clinic, urgent care center, health department clinic, or some other kind of place to go if the child is sick or needs advice about his or her health. A hospital emergency room is not considered a specific source of ongoing care in this instance.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.

## Type of Place Used for Medical Care

When asked where they take their child if they are sick or need advice about his/her health, the greatest share of respondents (76.9%) identified a particular doctor's office.

A total of 12.9% say they usually go to some type of clinic, while 3.2% use an urgent care center, 2.4% rely on a hospital emergency room, and 1.4% use a health department for their child's medical care.

## Particular Place Utilized for Child's Medical Care (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 26]  
 Notes: • Asked of all respondents about a randomly selected child in the household.



## Receipt of Routine Medical Care


Among surveyed parents, 89.3% report that their child has had a routine checkup in the past year.

**TREND** ▶ Denotes a significant increase from the 2013 benchmark.

**DISPARITY** ▶ Those less likely to have received a checkup include girls and children age 5 and older.


A routine checkup can include a well-child checkup or general physical exam, but it does not include exams for a sports physical or visits for a specific injury, illness, or condition.

Child Visited a Physician  
for a Routine Checkup in the Past Year  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 27]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents about a randomly selected child in the household.  
• \*2013 and 2016 results do not include responses from Polk County.

Child Visited a Physician  
for a Routine Checkup in the Past Year  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 27]  
Notes: • Asked of all respondents about a randomly selected child in the household.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Alternative Delivery of Care


### After-Hours Telephone Service

A total of 17.2% of Total Service Area children received care through an after-hours telephone service in the past year.

**TREND** ▶ Denotes a significant increase since 2019.


**DISPARITY** ▶ Used more often for children age 0 to 4 than for older children.

### Child Used After-Hours Telephone Service for Care in the Past Year (Total Service Area, 2022)



Source: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 301]  
Notes: • Asked of all respondents about a randomly selected child in the household.

### Child Used After-Hours Telephone Service for Care in the Past Year (Total Service Area, 2022)



Source: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 301]  
Notes: • Asked of all respondents about a randomly selected child in the household.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Telemedicine Services


**Nearly one-third (32.4%) of Total Service Area children have used telemedicine services in the past year.**

**TREND** ▶ Marks a dramatic increase since 2019.

**DISPARITY** ▶ Lower in Seminole County. Adolescents were more likely than children age 5 to 12 to use telemedicine services.

“In a telemedicine visit, a patient uses a computer or smartphone to communicate with a doctor in real time without being face-to-face. In the past year, has this child received health care services in a telemedicine visit?”


### Child Used Telemedicine Services in Past Year (Total Service Area, 2022)



Source: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 302]

Notes: • Asked of all respondents about a randomly selected child in the household.  
• In a telemedicine visit, a patient uses a computer or smartphone to communicate with a doctor in real time without being face-to-face.

### Child Used Telemedicine Services in Past Year (Total Service Area, 2022)



Source: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 302]

Notes: • Asked of all respondents about a randomly selected child in the household.  
• In a telemedicine visit, a patient uses a computer or smartphone to communicate with a doctor in real time without being face-to-face.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., “White” reflects non-Hispanic White respondents).  
• Income categories reflect respondent’s household income as a ratio to the federal poverty level (FPL) for their household size. “Very Low Income” includes households with incomes below 100% of the federal poverty level; “Low Income” includes households with incomes between 100% and 199% of the federal poverty level; “Mid/High Income” includes households with incomes at 200% or more of the federal poverty level.



# Vaccinations


## Vaccinating Newborns

While 81.6% of surveyed Total Service Area parents say they would want their (hypothetical) newborn to receive all recommended vaccinations, a total of 18.4% would not.

**TREND** ▶ Denotes a significant increase over time.


**DISPARITY** ▶ Parents of White children are more likely than parents of Hispanic children to say they would not want all vaccinations for a newborn.

### If Respondent Had a Newborn, Would Not Want Him/Her to Get All Recommended Vaccinations (Total Service Area Parents, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 115-116]  
 ● 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: ● Asked of all respondents.  
 ● \*2013 and 2016 results do not include responses from Polk County.

### If Respondent Had a Newborn, Would Not Want Him/Her to Get All Recommended Vaccinations (By Adult Respondents' Demographic Characteristics\*; Total Service Area, 2022)



Sources: ● 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 115]  
 Notes: ● Asked of all respondents.  
 ● \*Race reflects that of the child, not the respondent. Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 ● Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Flu Vaccination

**Among area parents of children age 6 months or older, 44.6% said their child has received a flu vaccine within the past year.**


**DISPARITY** ▶ Lower in Polk County. Less prevalent among adolescents (when compared to children age 0 to 4) and low-income children (when compared with those in higher-income households).

**Child Has Received a Flu Vaccine in the Past Year**  
(Total Service Area Parents of Children Age 6 Months and Older, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 312]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is age 6 months and older.

**Child Has Received a Flu Vaccine in the Past Year**  
(Total Service Area Parents of Children Age 6 Months and Older, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 312]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is age 6 months and older.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## COVID-19 Vaccination

**Among area parents of children age 5 to 17, 48.0% said their child has received a COVID-19 vaccine.**


**DISPARITY** ▶ Lower in Polk County. Less prevalent among boys, children age 5 to 12, low-income children, and Black children (when compared to Hispanic children).

**Child Has Received At Least One Dose of a COVID-19 Vaccine**  
(Total Service Area Parents of Children Age 5 to 17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 313]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is age 5 to 17.

**Child Has Received At Least One Dose of a COVID-19 Vaccine**  
(Total Service Area Parents of Children Age 5 to 17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 313]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is age 5 to 17.  
• Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
• Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




## Human Papillomavirus (HPV) Vaccination

Among area parents of children age 11 to 17, 54.9% said their child has received at least two shots of the HPV vaccine.

**DISPARITY** ▶ Less prevalent among children age 11 to 14 and children in households with higher incomes.


Parents of children age 11 and older were told that the human papillomavirus, or HPV, is a common infection that can lead to several types of cancers later in life. It is recommended that children in that age group receive at least two shots of the HPV vaccine, sometimes called Gardasil or Cervarix. Then, the parents were asked if their child has received at least two shots of the vaccine.

### Child Has Received At Least Two Shots of the HPV Vaccine (Total Service Area Parents of Children Age 11 to 17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 314]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is age 11 to 17.  
 • The human papillomavirus, also known as HPV, is a common infection that can lead to several types of cancers later in life. It is recommended that children age 11 and older receive at least two shots of the HPV vaccine, sometimes called Gardasil or Cervarix.

### Child Has Received At Least Two Shots of the HPV Vaccine (Total Service Area Parents of Children Age 11 to 17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 314]  
 Notes: • Asked of those respondents for whom the randomly selected child in the household is age 11 to 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# Dental Care

## ABOUT ORAL HEALTH

Tooth decay is the most common chronic disease in children and adults in the United States. ...Regular preventive dental care can catch problems early, when they're usually easier to treat. But many people don't get the care they need, often because they can't afford it. Untreated oral health problems can cause pain and disability and are linked to other diseases.

Strategies to help people access dental services can help prevent problems like tooth decay, gum disease, and tooth loss. Individual-level interventions like topical fluorides and community-level interventions like community water fluoridation can also help improve oral health. In addition, teaching people how to take care of their teeth and gums can help prevent oral health problems.

– Healthy People 2030 (<https://health.gov/healthypeople>)

## Receipt of Dental Care


**In all, 71.6% of Total Service Area children age 2-17 have visited a dentist or dental clinic (for any reason) in the past year.**

**BENCHMARK** ▶ Less favorable than the national percentage. Satisfies the Healthy People 2030 objective.

**TREND** ▶ Represents a significant decrease over time.

**DISPARITY** ▶ Highest in Seminole County. Dental visits are less prevalent among girls and children at low and very low incomes.


### Characteristics of Child's Most Recent Dental Visit (Total Service Area Children Age 2-17, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 44-45]  
Notes: • Asked of those respondents for whom the randomly selected child in the household is age 2 to 17.




## Child Visited a Dentist or Dental Clinic Within the Past Year (Total Service Area Children Age 2-17, 2022) Healthy People 2030 Target = 45.0% or Higher



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 44]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>

Notes: • Asked of those respondents for whom the randomly selected child in the household is age 2 to 17.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Child Visited a Dentist or Dental Clinic Within the Past Year (Total Service Area Children Age 2-17, 2022) Healthy People 2030 Target = 45.0% or Higher



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 44]  
 • US Department of Health and Human Services. Healthy People 2030. August 2020. <http://www.healthypeople.gov>


Notes: • Asked of those respondents for whom the randomly selected child in the household is age 2 to 17.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



## Key Informant Input: Oral Health

Key informants taking part in an online survey most often characterized *Oral Health* as a “moderate problem” for children/adolescents in the community.

### Perceptions of Oral Health as a Problem for Children/Adolescents in the Community (Key Informants, 2022)



Sources: ● PRC Online Key Informant Survey, Professional Research Consultants, Inc.  
Notes: ● Asked of all respondents.

Among those rating this issue as a “major problem,” reasons related to the following:

#### Affordable Care/Services

Dental health is extremely expensive. – Community/Business Leader  
Dental health treatments can be costly, and insurance coverage may be limited. – Public Health Representative  
I believe cost is the number-one obstacle to children and youth getting proper preventative dental care. Dental care is expensive and not part of general health insurance, so families are not able to prioritize dental visits. – Community/Business Leader

#### Lifestyle

Children have a lot of cavities due to eating an overabundance of candies, as well as not brushing their teeth properly. – Public Health Representative

#### Access to Care for Uninsured/Underinsured

Difficult to receive dental care without insurance, or insurance does not cover certain dental care, braces, etc. – Public Health Representative  
Many access issues for uninsured and underinsured. – Public Health Representative

#### Prevalence/Incidence

My experience working closely with a highly disadvantaged school in Orlando that had the unusual benefit of regular dental care for its students has shown me both the prevalence of poor dental health and the tremendous benefit for the child when problems are addressed. – Social Services Provider  
Too many instances were reported. Also, lack of insurance. – Social Services Provider

#### Awareness/Education

Education and insurance. – Community/Business Leader  
Many parents do not see the value in early dental health checkups and cleanings. We often hear, “I never went to the dentist as a child. Why does my child need to?” – Social Services Provider

#### Poverty

Poverty in Florida has families putting off oral care. The health community knows of this problem because the mouth and dental health is the window to a child’s health. The media needs to a better job raising awareness. – Community/Business Leader



# Vision & Hearing

## Recent Eye Exams

A total of 83.6% of Total Service Area parents indicate that their child has had an eye exam within the past three years.


**RELATED ISSUE:**

See also Vision Problems and Hearing Problems in the Chronic Disease & Special Health Needs: Prevalence of Selected Medical Conditions section of this report.

**TREND** ▶ Denotes a significant decrease from the 2013 survey.


**DISPARITY** ▶ Highest in Orange County. Girls and children age 0 to 4 are less likely to have received an eye exam.

**Child's Most Recent Eye Exam**  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 36]  
Notes: • Asked of all respondents about a randomly selected child in the household.


**Child Had an Eye Exam in the Past Three Years**  
(Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 36]  
• 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
Notes: • Asked of all respondents about a randomly selected child in the household.  
• \*2013 and 2016 results do not include responses from Polk County.



## Child Had an Eye Exam in the Past Three Years (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 36]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.


## Hearing Tests

**A total of 84.1% of Total Service Area children have had a hearing test within the past five years.**

**TREND** ► Denotes a significant decrease from the 2013 survey.

**DISPARITY** ► Lower in Osceola County. Testing is less prevalent among adolescents than among younger children.


## Child's Most Recent Hearing Test (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 38]  
 Notes: • Asked of all respondents about a randomly selected child in the household.




## Child Had a Hearing Test in the Past Five Years (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 38]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

## Child Had a Hearing Test in the Past Five Years (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 38]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.



# EMERGENT & URGENT CARE

## Emergency Room Utilization


A total of 16.4% of Total Service Area parents report taking their child to a hospital emergency room (ER) more than once in the past year.

**BENCHMARK** ▶ Two times the national percentage.

**TREND** ▶ Represents a significant increase over time.


**DISPARITY** ▶ Parents of children age 0 to 4 and in lower-income households were more likely to take their child to the ER.

### Child Used a Hospital Emergency Room More Than Once in the Past Year (Total Service Area, 2022)



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 39-40]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • \*2013 and 2016 results do not include responses from Polk County.

### Child Used a Hospital Emergency Room More Than Once in the Past Year (Total Service Area, 2022)




Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 39]  
 Notes: • Asked of all respondents about a randomly selected child in the household.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.




More than half of parents report that their child's emergency room visit was something that could have been treated in a doctor's office, but they used the ER because it occurred **after hours or on the weekend** (37.1%) or was an **emergency situation** (33.6%).

### Emergency Room Visits (Total Service Area, 2022)



■ Yes  
■ No



**ER Visit Was for Something That Might Have Been Treated in a Doctor's Office**

**Reason for Using the Hospital ER Instead of a Doctor's Office or Clinic (Among Those With an ER Visit)**

Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Items 41-42]  
Notes: • Asked of respondents for whom the randomly selected child in the household used a hospital ER in the past year.

## Urgent Care Centers/Walk-In Clinics


**A total of 46.7% of Total Service Area children visited an urgent care center or other walk-in clinic at least once in the past year.**

**BENCHMARK** ▶ Higher than found across the US.

**TREND** ▶ Denotes a significant increase since 2019.

**DISPARITY** ▶ Lower in Polk County.

### Number of Visits to an Urgent Care Center or Other Walk-in Clinic in the Past Year (Total Service Area, 2022)




■ None  
■ One  
■ Two  
■ Three  
■ Four/More


Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 43]  
Notes: • Asked of all respondents about a randomly selected child in the household.



## Child Used an Urgent Care Center, QuickCare Clinic, or Other Walk-In Clinic in the Past Year (Total Service Area, 2022)



## Child Used an Urgent Care Center, QuickCare Clinic, or Other Walk-In Clinic in the Past Year (Total Service Area, 2022)






# HEALTH EDUCATION & OUTREACH

# INTERNET ACCESS


Most respondents (98.6%) have access to the internet.

**BENCHMARK** ▶ Lower than the US benchmark.

**DISPARITY** ▶ Children living in lower-income households are less likely to have internet access.



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 122]  
 • 2020 PRC National Child & Adolescent Health Survey, Professional Research Consultants, Inc.  
 Notes: • Asked of all respondents.  
 • \*2013 and 2016 results do not include responses from Polk County.



Sources: • 2022 PRC Child & Adolescent Health Survey, Professional Research Consultants, Inc. [Item 122]  
 Notes: • Asked of all respondents.  
 • Hispanics can be of any race. Other race categories are non-Hispanic categorizations (e.g., "White" reflects non-Hispanic White respondents).  
 • Income categories reflect respondent's household income as a ratio to the federal poverty level (FPL) for their household size. "Very Low Income" includes households with incomes below 100% of the federal poverty level; "Low Income" includes households with incomes between 100% and 199% of the federal poverty level; "Mid/High Income" includes households with incomes at 200% or more of the federal poverty level.





# RESOURCES

# RESOURCES AVAILABLE TO ADDRESS THE SIGNIFICANT HEALTH NEEDS

The following represent potential measures and resources (such as programs, organizations, and facilities in the community) identified by key informants as available to address the significant health needs identified in this report. This list only reflects input from participants in the Online Key Informant Survey and should not be considered to be exhaustive nor an all-inclusive list of available resources.

## Access to Health Care Services

- 211
- AdventHealth
- Aspire Health
- Children's Medical Services
- Department of Health Seminole County
- Doctor's Offices
- Florida Department of Health
- Harbor House
- Hebni Nutrition Consultants, Inc.
- K.E.Y Counseling Solutions
- Libraries
- Matthew's Hope
- Nemours Children's Hospital
- Orange Blossom Family Health Clinics
- Orlando Health
- Osceola Community Health Services
- Prescribed Pediatric Extended Care
- Primary Care Access Network
- SALT
- Shepherd's Hope
- Spectrum Health
- Teen Xpress
- True Health

## Allergies

- AdventHealth
- Doctor's Offices
- GuideWell
- Nemours Children's Hospital
- Orlando Health Arnold Palmer Hospital for Children
- Pollen Tracker Online Resource
- School Systems
- Shands
- Walgreens

## Asthma

- AdventHealth
- American Lung Association

- Community Health Centers
- Doctor's Offices
- Florida Asthma Coalition
- Florida Department of Health
- Hospitals
- Let's Kick Asthma
- Nemours Children's Hospital
- Orlando Health
- Orlando Sentinel
- School Systems
- Shands
- True Health
- UCF Medical School

## Bone, Joint & Muscle Problems

- AdventHealth
- Nemours Children's Hospital
- Orlando Health
- Rothman

## Cognitive and Behavioral Problems

- 211
- Aspire Health
- CBA Services
- Children's Cabinet
- Children's Home Society
- Churches
- Community Mental Health
- Devereux Advanced Behavioral Health
- Early Learning Coalition
- Early Steps
- Federally Qualified Health Centers
- Florida Behavioral Health
- Hispanic Family Counseling
- Horizon Counseling Center
- Kinder Consulting
- Lakeland Regional Health Medical Center
- Latino Leadership
- Lotus Behavioral Health
- Mindful Behavioral Healthcare
- Nemours Children's Hospital



- North Star Counseling of Central Florida
- Orange County Public Schools
- Park Place Behavioral Health Care
- Peace River Center
- Reed Foundation
- Santiago and Friends
- Students with Emotional/Behavioral Disabilities Network
- Seminole County Public Schools
- Serenity Healthcare
- The Developmental Center for Infants and Children
- Threshold
- UCF Medical School
- United Cerebral Palsy School
- University Behavioral Services
- Victim Services of Central Florida
- Winter Haven Hospital Center for Behavioral Health

- Winter Park Health Foundation
- YMCA

### Injury & Violence

- Central Florida Victims Services Network
- Children's Cabinet
- Counselors
- Department of Children and Families
- Harbor House
- Howard Phillips Center for Children and Families
- Intervention Programs
- Kids House
- Seminole County Public Schools
- Sheriff's Department

### Mental Health

- 211
- AdventHealth
- Aspire Health
- Big Bear Behavioral Health
- Brevard Health Alliance
- CDC
- Children's Home Society
- Children's Medical Services
- Churches
- Circles of Care
- Community Mental Health
- Counselors
- Department of Children and Families
- Devereux Advanced Behavioral Health
- Doctor's Offices
- Hispanic Family Counseling
- Hospitals
- Howard Phillips Center for Children and Families
- Impower
- Kids House
- Kinder Consulting
- La Amistad
- Lakeland Regional Health Medical Center
- Lakeside
- Lotus Behavioral Health
- Mentors
- National Alliance on Mental Illness Greater Orlando
- Nemours Children's Hospital
- No Limit Health and Education
- Orange County Public Schools
- Orange County Government
- Orlando Health

### Coronavirus Disease/COVID-19

- AdventHealth
- Allied Health
- Boys & Girls Clubs
- CDC
- CVS
- Doctor's Offices
- Federal Government
- Federally Qualified Health Centers
- Florida Department of Health
- Hospitals
- Orange County Government
- Orange County Health Services
- Orlando Health
- School Systems
- Seminole County Government
- Testing Sites
- True Health
- Walgreens

### Diabetes

- AdventHealth
- Brevard Health Alliance
- Children's Health Watch
- Children's Medical Services
- Churches
- Hebni Nutrition Consultants, Inc.
- Live Well Foundation of South Lake
- Nemours Children's Hospital
- Second Harvest Food Bank of Central Florida
- University of Florida Family Nutrition Program



- Orlando Psychiatric Associates
- Orlando Regional Medical Center
- Park Place Behavioral Health Care
- Peace River Center
- Positive Behavioral Solutions
- Students with Emotional/Behavioral Disabilities Network
- Shands
- The Healing Tree
- Victoria's Voice Foundation
- Winter Haven Hospital Center for Behavioral Health
- Winter Park Health Foundation

- Community Health Centers
- Community Partnership Schools
- Dentist's Offices
- Department of Health Seminole County
- Doctor's Offices
- Florida Department of Health
- Grace Medical Home
- Orange Blossom Family Health Clinics
- Orange County Dental Society
- Primary Care Access Network
- Seminole County Government
- True Health

### Neurological Problems

- AdventHealth
- Orlando Health

### Nutrition, Physical Activity, & Weight

- AdventHealth
- Boys and Girls Clubs
- Brevard Health Alliance
- Catholic Charity
- Churches
- Community Coordinated Care for Children
- Community Health Centers
- Crunch Fitness
- Department of Health Seminole County
- Doctor's Offices
- Florida Blue
- Food Vendors/Retailers
- Hebni Nutrition Consultants, Inc.
- Hospitals
- Libraries
- Nemours Children's Hospital
- Orlando Health Arnold Palmer Hospital for Children
- Parks and Recreation
- Salvation Army
- Second Harvest Food Bank of Central Florida
- Seminole County Public Schools
- Shands
- Soul Food Pyramid
- University of Florida Family Nutrition Program
- WIC
- YMCA
- Youth Sports Programs

### Oral Health

- Brevard Health Alliance

### Prenatal & Infant Health

- AdventHealth
- Community Health Centers
- Doctor's Offices
- Florida Department of Health
- Healthy Start Coalition
- Jennie Joseph
- Nemours Children's Hospital
- Orange County Health Department
- Orlando Health Winnie Palmer Hospital for Women and Babies
- Second Harvest Food Bank of Central Florida
- The Midwife Bus
- True Health
- WIC

### Sexual Health

- Community Health Centers
- Health Department
- True Health

### Tobacco, Alcohol and Other Drugs

- Brevard Health Alliance
- Brevard Schools
- Children's Cabinet
- Continuum of Care
- Drug Rehab Center Orlando
- Impower
- Lotus Behavioral Health
- Mental Health Services
- Opioid Task Force Council
- Orange County Drug-Free Coalition
- Sheriff's Department
- Substance Abuse and Mental Health Services Administration
- The Center for Drug Free Living
- Tobacco Free Florida





# APPENDIX

# EVALUATION OF PAST ACTIVITIES

Subsequent pages outline 2019 and 2020 progress reports for Nemours Children's Hospital, Florida, detailing activities undertaken to address the top health needs, including metrics evaluating these initiatives.

